

A Needle In A Pineapple Field: Study of the Current State of Pineapple Leaves Valorisation in the Context of Circular Bioeconomy in Costa Rica

MSc Thesis

L. Ignacio Saldivia Gonzatti

Student Number: 1161563

Course code: ENR80424

Study Programme: MSc Climate Studies

Environmental Economics and Natural Resources Group (ENR)

Wageningen University & Research
Wageningen, The Netherlands
April 15, 2023

Supervisor:
Prof. Dr. Francisco Alpizar

ACKNOWLEDGEMENTS

I want to express my deepest gratitude to the people who, in one way or another, contributed to this project: Abigail, Alfredo Zamora, Allan Vásquez, Ana Patricia López, Asdrúbal Oricuco, Austin Buchanan, Bryan Miguel Chaves, Carlos Alpizar, Carolina Hernández, Chiara Ciscato, Daniel Saldivia Gonzatti, Débora Zúñiga, Felipe Saldivia Najul, Francisco Alpizar, Gabor Rabek, Gilbert Rojas Morales, Gina Vargas, Huib Hengsdijk, Jorge Sánchez, José Ricardo Gonzatti, José Romero, Joselyn Rojas, Kasper Kok, Kimberly Ramirez, Laura Gómez, Lilliana Rodríguez Barquero, Luigi Pari, Luis Vásquez, Marcela Fernández, Martien van den Oever, Mauren Rodríguez Castro, Mauricio Bustamante, Óscar Gonzalez, Óscar Vargas, Ross Mary Gonzatti Sancristóbal, Samvel Mkhitaryan, Saúl Carranza, Silvia Fernández, Sytze de Bruin, Werner Lotz, Wolter Elbersen, and Yesenia Marín. I am also grateful to all of those who, despite not being explicitly mentioned above, helped me on the way.

Ignacio Saldivia Gonzatti
Wageningen University
April 15, 2023

A Colón

¡Desgraciado Almirante! Tu pobre América,
tu india virgen y hermosa de sangre cálida,
la perla de tus sueños, es una histérica
de convulsivos nervios y frente pálida.

Un desastroso espíritu posee tu tierra:
donde la tribu unida blandió sus mazas,
hoy se enciende entre hermanos perpetua guerra,
se hieren y destrozan las mismas razas.

Al ídolo de piedra reemplaza ahora
el ídolo de carne que se entroniza,
y cada día alumbra la blanca aurora
en los campos fraternos sangre y ceniza.

Desdeñando a los reyes nos dimos leyes
al son de los cañones y los clarines,
y hoy al favor siniestro de negros reyes
fraternizan los Judas con los Caínes.

Bebiendo la esparcida savia francesa
con nuestra boca indígena semiespañola,
día a día cantamos la Marsellesa
para acabar danzando la Carmañola.

Las ambiciones pérfidas no tienen diques,
soñadas libertades yacen deshechas.
¡Eso no hicieron nunca nuestros caciques,
a quienes las montañas daban las flechas!

Ellos eran soberbios, leales y francos,
ceñidas las cabezas de raras plumas;
¡ojalá hubieran sido los hombres blancos
como los Atahualpas y Moctezumas!

Cuando en vientres de América cayó semilla
de la raza de hierro que fue de España,
mezcló su fuerza heroica la gran Castilla
con la fuerza del indio de la montaña.

¡Pluguiera a Dios las aguas antes intactas
no reflejaran nunca las blancas velas;
ni vieran las estrellas estupefactas
arribar a la orilla tus carabelas!

Libre como las águilas, vieran los montes
pasar los aborígenes por los boscajes,
persiguiendo los pumas y los bisontes
con el dardo certero de sus carcajes.

Que más valiera el jefe rudo y bizarro
que el soldado que en fango sus glorias finca,
que ha hecho gemir al zipa bajo su carro
o temblar las heladas momias del Inca.

La cruz que nos llevaste padece mengua;
y tras encanalladas revoluciones,
la canalla escritora mancha la lengua
que escribieron Cervantes y Calderones.

Cristo va por las calles flaco y enclenque,

To Columbus

Unfortunate admiral! Your poor America,
your beautiful, hot-blooded, virgin Indian love,
the pearl of your dreams, is now hysterical,
her nerves convulsing and her forehead pale.

A most disastrous spirit rules your land:
where once the tribesmen raised their clubs together,
now there is endless warfare between brothers,
the self-same races wound and destroy each other.

The stone idol is gone, and in its place
a living idol sits upon a throne,
while every day the pallid dawn reveals
the blood and ashes in the fields of neighbours.

Disdaining kings, we give ourselves our laws
to the sound of cannons and of bugle-calls,
and now, on the sinister behalf of black kings,
each Judas is a friend of every Cain.

We love to drink the festive wines of France;
day after day we sing the Marseillaise
in our indigenous, semi-Spanish voices,
but end by roaring out the Carmañola.

The treacheries of ambition never cease,
the dream of freedom lies in broken bits.
This crime was never committed by our chiefs,
by those to whom the mountains gave their arrows.

They were majestic, loyal, and great-hearted;
their heads were decorated with rare feathers.
Oh if the white men who came had only been
like the Atahualpas and the Moctezumas!

When once the seed of the iron race from Spain
was planted in the womb of the Americas,
the heroic strength of great Castile was mixed
with the strength of our own Indians of the mountains.

Would to God that these waters, once untouched,
had never mirrored the white of Spanish sails,
and that the astonished stars had never seen
those caravels arriving at our shores!

The mountains saw how the natives, who were free
as eagles, came and went in the wild forest,
hunting the deer, the puma, and the bison
with the sure arrows they carried in their quivers.

A chief, though rough and bizarre, is worth far more
than a soldier who roots his glory in the mud,
who has caused the brave to groan beneath his car
or the frozen mummies of Incan lords to tremble.

The cross you brought to us is now decayed,
and after the revolution of the rabble,
the rabble writing today defiles the language
written by great Cervantes and Calderon.

A gaunt and feeble Christ walks through the streets,

Barrabás tiene esclavos y charreteras,
y en las tierras de Chibcha, Cuzco y Palenque
han visto engalonadas a las panteras.

Duelos, espantos, guerras, fiebre constante
en nuestra senda ha puesto la suerte triste:
¡Cristóforo Colombo, pobre Almirante,
ruega a Dios por el mundo que descubriste!

Barrabas can boast of slaves and epaulets,
and the lands of Chibcha, Cuzco, and Palenque
have seen wild beasts acclaimed and decorated.

Evil mischance has placed afflictions, horrors,
wars, and unending fevers in our way:
Oh Christopher Columbus, unfortunate admiral,
pray to God for the world that you discovered!

Ruben Darío (1867–1916)

ABSTRACT

The management of pineapple crop residues generates large environmental and economic costs in Costa Rica. The use of these residues to produce value-added products can be beneficial for the pineapple industry and the circular bioeconomy. Although several valorisation options have been studied, none of them have been implemented at a large scale. This study presents the state-of-the-art in the extraction and valorisation of Pineapple Leaves (PAL) in Costa Rica. By means of the Fuzzy Cognitive Map method, we analyse the barriers preventing the adoption of valorisation processes and the transition to a circular bioeconomy. To model a potential logistical solution to the valorisation of PAL, we present a Facility Location Problem that optimises the number and location of valorisation facilities that minimise operational costs.

The study shows that unsustainable customs, lack of collaboration, and insufficient funding are the main barriers to circular-oriented innovation in the industry. Moreover, operational and technological barriers, especially related to the extraction of PAL from the field, hinder progress toward large-scale solutions. Government agencies are potential drivers of change, and there is a need for transparency and knowledge sharing. Awareness of the benefits of valorising must be raised to motivate investors. A decentralised valorisation operation is more suitable for biogas production considering the spatial distribution of pineapple fields in Costa Rica and the processing capacity of biogas plants. The model presented can be used to analyse the most cost-effective operational solution for different types of valorisation techniques, including cascaded solutions.

Key words

Circular Bioeconomy, Crop Residue, Waste Valorisation, Pineapple Stubble, Knowledge Elicitation, Facility Location Problem

RESUMEN

La gestión de los residuos del cultivo de piña genera grandes costes ambientales y económicos en Costa Rica. El uso de estos residuos para producir productos de valor agregado puede resultar beneficioso para la industria de la piña y la bioeconomía circular. Aunque se han estudiado varias opciones de valorización, ninguna de ellas se ha implementado a gran escala. Este estudio presenta el estado del arte de la extracción y valorización de las hojas de piña (PAL) en Costa Rica. Mediante el método de Mapa Cognitivo Difuso, se analizan las barreras que impiden la adopción de procesos de valorización y la transición hacia una bioeconomía circular. Para modelar una posible solución logística a la valorización de PAL, presentamos un Problema de Localización de Plantas que optimiza el número y localización de plantas de valorización que minimicen los costes operativos.

El estudio muestra que las tradicionales prácticas poco sostenibles, la falta de colaboración y la financiación insuficiente son las principales barreras a la innovación orientada a la circularidad en la industria. Además, las barreras operativas y tecnológicas, especialmente relacionadas con la extracción de PAL del campo, dificultan el avance hacia soluciones a gran escala. Los organismos gubernamentales son potenciales impulsores del cambio, y es necesaria la transparencia y el intercambio de conocimientos. Es necesario concienciar sobre los beneficios de la valorización para motivar a los potenciales inversores. Una operación de valorización descentralizada es más adecuada para la producción de biogás teniendo en cuenta la distribución espacial de los campos de piña en Costa Rica y la capacidad de procesamiento de las plantas de biogás. El modelo presentado puede utilizarse para analizar la solución operativa más rentable para distintos tipos de técnicas de valorización, incluidas las soluciones en cascada.

Palabras clave

Bioeconomía circular, Residuos de cultivo, Valorización de residuos, Rastrojo de piña, Elicitación de conocimiento, Problemas de localización de plantas

CONTENTS

List of Figures	X
List of Tables	XI
Acronyms	XI
1 Introduction	1
1.1 Problem Statement	1
1.2 Objectives and research questions	3
1.3 Overview of the structure of the thesis	4
2 A New Economy for An Old Problem	6
2.1 Current practices of pineapple stubble management	7
2.2 Potential ways of valorising PAL	8
2.3 Extraction from the field	10
3 Harvesting The Fruits of Uncertainty	12
3.1 Theories on Circular (Bio)Economy	12
3.2 Methodology	17
3.2.1 Fuzzy Cognitive Maps for knowledge elicitation and analysis	17
3.2.2 Definition of objective and scope	19
3.2.3 Stakeholder selection	20
3.2.4 Knowledge generation	21
3.2.5 Qualitative aggregation	21
3.2.6 Weighting connections	23
3.2.7 Quantitative aggregation	24
3.3 Results and Discussion	27
3.3.1 Descriptive analysis	27
3.3.2 FCM model and fuzzy inference	32
3.3.3 Drivers' intervention simulation	33
3.3.4 Bringing it all together	36
3.4 Conclusion, Limitations, and Recommendations	42
4 The Pineapple Leaves Route	45
4.1 Facility Location Problem	45

4.2	Case study description	48
4.3	Model description	50
4.4	Material	51
4.4.1	Source of PAL	51
4.4.2	Processing costs	53
4.4.3	Transportation costs	56
4.5	Results	57
4.5.1	Sensitivity analysis	57
4.6	Discussion	58
4.6.1	Extension of the model	59
4.7	Conclusion	60
5	Conclusions and Reflection	62
5.1	Conclusions	62
5.2	Reflection	63
	Bibliography	65
6	Appendix	75
A1	FCM results	75
A1.1	Experts and Stakeholders Interview Outline	75
A1.2	Concepts Description	76
A1.3	Entropy results	79
A1.4	FCM matrix	81
A2	Supplementary material	81

LIST OF FIGURES

2.1	Structure of pineapple plant	6
3.1	Example of a Fuzzy Cognitive Map	18
3.2	Accumulation curves of concepts versus interviews	20
3.3	Example of interview statement processing	23
3.5	FCM resulting from interviews	29
3.6	Output of the quasi-dynamic analysis	33
3.7	Impact of interventions on outcome variables	34
3.8	Impact of (mixed) interventions on outcome variables	36
4.1	Pineapple crops in Costa Rica	50
4.2	Pineapple field centroid snapped to network	52
4.3	PAL fields centroids and nearest nodes	53
4.4	Zoning regulation applicable to the city of Quesada	55
4.5	Facility candidates randomly generated over the street network.	56
4.6	Spatial representation of the optimal solution for the FLP	57
A1.1	FCM weight matrix	81

LIST OF TABLES

3.1	Fuzzy Cognitive Map Building Steps and Products	19
3.2	Profile, role and participation of stakeholders	28
3.3	Network analysis indices & results	32
4.1	Summary statistics of the pineapple field polygons	52
4.2	Estimates for the biogas plant in the optimisation	54
4.3	Scenarios for the FLP problem	58
A1.1	Concepts present in the FCM and their description	76
A1.2	Entropy values of FCM connections	79

ACRONYMS

CB Circular Bioeconomy.

CE Circular Economy.

COI Circular Oriented Innovation.

CR Costa Rica.

FCM Fuzzy Cognitive Map/Mapping.

FLP Facility Location Problem(s).

PAL Pineapple Leaves.

PALF Pineapple Leaves Fibre.

TIS Technological Innovation Systems.

INTRODUCTION

1.1 Problem Statement

Upon his return from his second voyage to America, Columbus presented King Ferdinand and Queen Isabella with gifts including gold nuggets, native artefacts, and various exotic birds, trees, animals, and plants, including a pineapple. Most of the pineapples rotted during the long voyage, but the king and queen tasted the unspoiled one and declared that they preferred it over all the other fruits (O'Connor, 2013). Centuries later, pineapples have become a common import in temperate climates.

In 2018, pineapple was ranked ninth as the most harvested fruit in the world, with a global production of 28×10^6 tonnes; the most harvested fruit in the world, banana, amounted to 114×10^6 tonnes (FAO, 2020). The five leading producers of pineapple are Costa Rica, the Philippines, Brazil, Indonesia, and China. From these, Costa Rica is the largest exporter (2.2×10^6 tonnes in 2021), and the second-largest producer, amounting to 2.9×10^6 tonnes in 2021 with an average increase of 6.7% in the last 20 years (FAOSTAT, 2022).

What once was one of the many riches sent from the colonies back to the mother countries is now a relevant income for exporters. The pineapple industry contributes approximately 1.7% of Costa Rica's GDP, providing 32,000 direct jobs and 120,000 indirect jobs nationally (Chen et al., 2020; UNDP, 2022). From the land surface used for permanent croplands in the country, 11% is dedicated to pineapple, which tops the list next to coffee, palm oil, sugar cane, and banana (INEC, 2014).

In an attempt to grow the *fruit of kings* in the Europe of the 17th century, hothouses were employed to maintain heat by ingenious means at enormous cost (O'Connor, 2013). Today,

different technologies coupled with international trade provide easy and inexpensive access to the *queens of fruits* and present high profitability for the producing countries. However, regardless of time and place, artificial methods of growing crops interfere with the natural ecosystem. Playing an important role in the agriculture and economy of Costa Rica, the pineapple sector has gained domestic and international attention due to its environmental impacts that affect the nation at large.

Grown as a monoculture, pineapple farming in Costa Rica presents the typical environmental problems of this type of cultivation practice, such as building up disease pressure, reducing particular nutrients in the soil, erosion due to conventional ploughing, and contamination of soil and water sources (Rodríguez Echavarría and Prunier, 2020a; Salaheen and Biswas, 2019). In addition, the reduction in livestock productivity caused by the stable fly (*Stomoxys calcitrans*) bred in the crop residues has become a major problem for pineapple producers and ranchers alike (Alpízar and Salas, 2016; Elbersen and Hengsdijk, 2019). This cross-sectoral problem is difficult to tackle with a fruit that produces large amounts of crop residues. Farmers usually plant between 65,000 and 80,000 pineapple plants per hectare, and these can grow to weigh between 2.5 and 3.0 kg, with a height and width of between 1 and 2 metres (Asim et al., 2015). After the last harvest, these residues, also known as stubble, are left in the field.

Currently, to avoid the breeding of the stable fly in the stubble, farmers implement various practices, including drying with herbicides, burning, burying, and natural decomposition. These practices are costly both economically and environmentally. As Hernández-Chaverri and Barragán (2018) note, the costs of stubble management per hectare with these practices can range between US\$ 1,000 and US\$ 2,500 depending on the method used. Furthermore, these practices increase greenhouse gas emissions, hamper pineapple production productivity, and affect communities near the fields (Cesarino et al., 2020; Netz et al., 2007). Monitoring and controlling crop residue practices is not an easy task for an industry that has expanded in the country without regulation (Rodríguez Echavarría and Prunier, 2020a).

The pressing issue of stubble management and its consequences has incentivised the exploration of innovative solutions, mainly focused on the valorisation of pineapple leaves (PAL). These solutions not only help to reduce the financial costs and environmental damages of current practices, but also contribute to the circular economy (CE) transition and to the bioeconomy. CE initiatives aim to move away from traditional “make and dispose” models and towards systems that encourage material efficiency, and the objective of the bioeconomy is to use renewable biological resources sustainably to produce food, bioenergy and biobased goods. Thus, these models help to create more circular material systems that reduce energy and emissions (IPCC, 2022).

The valorisation of pineapple leaves is not new; their use for various purposes, including

weaving, netting, and rope-making, has a long history among natives of America, preceding the arrival of Europeans (Collins, 1949; O’Connor, 2013). Today’s linear production model, which leads to vast amounts of stubble produced in the pineapple industry, makes the implementation of valorisation solutions challenging. Different options to valorise the stubble have been tested in Costa Rica, e.g., producing fodder to feed livestock, or using the leaves of the plant to produce pineapple leaf fibre (PALF). Nevertheless, as of today, there is no large-scale stubble valorisation project in the country, and progress toward a systematic implementation seems stagnant.

Despite the extensive tabletop research on technological solutions to produce biobased materials and bioenergy with PAL, socioeconomic studies on the implications of a Circular Bioeconomy (CB) transition are lacking. The adoption of innovative practices needed for this transition can be hindered by the existence of several bottlenecks, such as financial constraints, cultural and operational barriers, uncertainty about market demand, and technological limitations. Potential solutions have been identified, but many questions related to their implementation are unanswered. Moreover, there seems to be no consensus among stakeholders on the required steps for the valorisation process to take off. In this sense, an understanding of the actors, institutions, and the networks that connect them is needed.

Finally, we must consider that many of the barriers preventing the transition to a CB are specific to Costa Rica, and solutions that have been implemented in other places may not apply to the case of Costa Rica. For example, the pineapple production clusters and the distinctive road network of the country require finding tailored operational solutions. Today, there is no vision of how a large-scale valorisation operation would take place in the industry. By providing realistic solutions that can be applied systematically, stakeholders can gain momentum to make progress toward a sustainable solution more easily. Ultimately, by understanding what prevents the transition to valorisation and identifying actionable challenges, the pineapple industry in Costa Rica can advance in the agricultural CB revolution.

1.2 Objectives and research questions

Considering the knowledge gap identified within the problem statement, the present research considers the following aim and objectives. The aim is to help increase the sustainability of the pineapple industry by introducing circular bioeconomy principles. Two objectives have been defined for this aim: First, to explain why the valorisation of PAL has not taken off in the country, and to explain the complexity of the system in which the valorisation unfolds. The second objective is to help to understand how a large-scale valorisation process could be carried out operationally.

These objectives are defined given the current (early) stage at which the valorisation of PAL is in Costa Rica. Moreover, the absence of socioeconomic data and the abundance of uncertainty led us to consider an exploratory, qualitative, case-based study for our analysis.

To attain the proposed objectives, several research questions and sub-questions are proposed:

1. A New Economy for An Old Problem

- What is the state-of-the-art technology for extracting PAL from the field and what are its estimated costs?
- What are the valorisation options being developed in CR and what is their development stage?
- What are the potential business models for the PAL?
- What is the demand for potential PAL-based products?
- What local regulations and characteristics should be considered when implementing valorisation options in CR?

2. Harvesting The Fruits Of Uncertainty

- What are the cultural, financial, market-related, operational, and technological barriers that prevent the valorisation of pineapple stubble in Costa Rica?
- What is needed to overcome these barriers? Whose action is required?
- What are the benefits and challenges of valorising the stubble?

3. The Pineapple Leaves Route

- What are suitable locations for PAL processing plants?
- What is the optimal spatial distribution of PAL processing plants?
- Should PAL processing be centralised or decentralised?

1.3 Overview of the structure of the thesis

The valorisation of PAL and its development in Costa Rica are explored from different angles. Thus, this paper has been divided into three chapters, following the same order as the research questions delineated above.

In chapter 2, we provide a review of the pineapple stubble and its valorisation in the context of Costa Rica. We first give a brief explanation of the current management of pineapple stubble in the field. We then discuss the extraction of PAL from the field and its singularities. Then, the

potential valorisation options and the demand for PAL are explained. Finally, a brief discussion of the local context and regulations applicable to the valorisation of PAL is provided.

chapter 3 explains the study of barriers preventing the valorisation of PAL in Costa Rica. We first provide the appropriate theory related to the circular (bio)economy and circular-oriented innovation. We continue by explaining the methodology employed for the qualitative analysis, Fuzzy Cognitive Mapping. Then the results of the study are shown and discussed. Finally, conclusions and recommendations are provided.


The use of location analysis can be useful to unravel the operational challenges of valorising PAL. This analysis is explained in chapter 4. We first introduce the Facility Location Problem. Then, we provide an explanation of the methodology used for the case study. The results are depicted, followed by a discussion. Conclusions and recommendations are provided.

The scope and aim of this study have evolved throughout its development. Also, the author's perception and understanding of the issue at hand have undergone a transformation since the beginning of the research. Thus, in chapter 5, general conclusions of the study are given and a reflection from the author on the subject of the study and the methods employed finalises the article.

A NEW ECONOMY FOR AN OLD PROBLEM

In this section, we provide an overview of current stubble management practices and the state-of-the-art Pineapple Leaves (PAL) valorisation options in Costa Rica. The information provided in this section is based on academic and grey literature and findings from interviews and observation. The present documentation serves to analyse the potential business models for the PAL and their corresponding benefits and limitations.

Figure 2.1: Structure of pineapple plant



Source: Hassan et al. (2011)

The main parts of a pineapple plant are the crown, the fruit, the slips, a short and thick stem, two suckers, and a rosette of long (0.50–1.8 m), narrow, fibrous leaves. The structure of the pineapple is depicted in figure 2.1. The pineapple production cycle, from plantation to harvest, lasts between 12 and 18 months. In Costa Rica, the production cycle is usually profitable only for two harvests (Ingwersen, 2012; MAG, 2023; Zhang et al., 2016). After the last harvest, the ratoons from the plants are harvested to use as seeds for new plantations. At

this point, the plantation, usually managed per hectare, needs to be taken down, The plants, now considered stubble, or organic residues, need to be decomposed to make room for a new plantation.

2.1 Current practices of pineapple stubble management

The fast increase in pineapple demand in the 2010s created an urgent need to accelerate the pineapple production cycle. To avoid the propagation of the stable fly and shorten the time between harvest and new plantation, practices to rapidly manage the stubble were implemented. practices vary depending on the producer's size and earnings, on how rapidly the field needs to be ready for a new plantation, and on the knowledge and ability of the producer to implement available management practices.

The two most common ways to treat the stubble are green management (*en verde*) and dry (*en seco*) management. Green management involves harrowing the stubble with mechanical equipment (*rastra*) directly in the field to be incorporated into the soil. Dry management requires drying the plant with herbicides, then burning it with fire, and finally incorporating it into the soil (Hernández-Chaverri et al., 2022). Although green management does not require agrochemicals, producers more often use dry management because it is more cost-effective (Hernández-Chaverri and Barragán, 2018).

There are three other practices that are less widely used in Costa Rica today. These are burying (in a pit), piling up in a mountain of stubble, and decomposition through decomposers. Burying and piling up are costly options that require access to additional land to dig and bury or to accumulate the stubble. The use of these practices, which allows for an immediate new plantation, is identified in plantations managed by large companies with access to machinery and land. The use of decomposers, although mentioned in a stubble management handbook published by an agency of the ministry of agriculture of Costa Rica (González Alfar, 2012), is seldom implemented and it is nowadays only used by small and medium-sized producers. Management with decomposers is beneficial for the environment as it does not require agrochemicals, but its implementation must be rigorously monitored as, otherwise, it can be ineffective in avoiding the propagation of the stable fly. The use of decomposers is accompanied with harrowing and, if implemented correctly, can considerably accelerate the decomposition of stubble.

Regardless of the type of practice used, managing the stubble takes time and costs money to the producer. There is no perfect solution to accelerate the decomposition of organic matter and control the propagation of stable flies. Should the fly not be a problem for close-by ranchers and communities, the stubble could theoretically be left on the ground until naturally decomposed,

but producers also prefer to accelerate the decomposition and, consequently, the production cycle. Perhaps the only advantage of managing the stubble at the field is the addition of nutrients to the soil as the stubble incorporates in it (Liu et al., 2013).

2.2 Potential ways of valorising PAL

Since the management of stubble in the field generates environmental and financial costs, producers and researchers have developed ideas to valorise the residues of the pineapple cultivation. In this section, we focus only on the valorisation options that are being developed or considered in Costa Rica. For a summary of the many PAL valorisation options, see Aili Hamzah et al. (2021), and for a review of agro-industrial biowaste valorisation in Costa Rica, see Eixenberger et al. (2022). The options to valorise PAL in Costa Rica can be divided into three categories: energy generation, feed production, and biobased product production, the latter having two main subcategories, textiles, and other biobased products. Below, we describe these options, their stage of development in Costa Rica, and considerations regarding their demand and regulation.

The energy production from PAL follows a similar process to that of other biomasses, and its production requirements and potential have been studied extensively. Chen et al. (2020) developed a simple process that converts one hectare of PAL into 2.1 tonnes of bioethanol, 1.55 tonnes of spent yeast biomass, and 11.65 tonnes of dry fibrous material. They concluded that the amount of bioethanol that can potentially be produced from PAL would replace approximately 8.5% of the fuel consumption for transportation in Costa Rica. Despite the study by Chen et al., no PAL-based biorefinery process has been implemented in Costa Rica at any scale. There is no well-defined legal framework to produce biofuels in Costa Rica. As described in the 2015-2030 National Energy Plan, the main barrier to introducing biofuel blending is the nonexistence of a public-private strategy. The private sector has the capacity to produce biofuels, but RECOPE, the national oil refinery, is the one responsible for establishing the parameters of the mixture and producing the blending (MINAE, 2015). Regarding the demand for fuel blending, this will simply depend on the price of fossil and biofuels. Already in 2013, García Salas (2013) showed that the export price of ethanol from sugar cane in Costa Rica was lower than the import price of gasoline. Producing bioethanol is economically viable only at an exceptionally large scale, and implementing this solution for PAL poses a logistical challenge and requires large initial investments. For more studies on PAL-based biorefinery processes to produce biofuels in different places and at different scales, see Murcia et al. (2022); Saini et al. (2022); Silva et al. (2020); Mund et al. (2021).

Biogas is another energy production alternative that is often discussed in the literature. Arce

et al. (2014) provides a detailed report on an experiment conducted to determine the capacity of biogas generation with PAL in Costa Rica. More details on the scalability at a national scale drawn from their results are discussed in section 4.4.2. Kohlmann et al. (2015); Barz et al. (2019) provide an analysis of biogas production from pineapple and other agricultural residues in tropical and subtropical regions and estimate a reduction of more than 1 tonne CO₂-eq ha⁻¹ for PAL in Costa Rica. In 2017, a pilot project to produce biogas from PAL was done in Upala (NW of Costa Rica) (ICE, 2017). Apart from the studies mentioned here and pilot projects briefly described in news articles, there is no information on previous projects or active PAL-based biogas plants. However, there are several studies on the production of biogas with other pineapple waste (peel and core) Aili Hamzah et al. (2021). Biogas can be used in two ways, either to fuel vehicles by compressing it or as a replacement for natural gas, in which case it can be used for heating and electricity generation. Compressing it requires a lot of energy, so biogas is not considered a feasible alternative to fossil fuels. Although heating is not required in the Costa Rican climate, the electricity produced from biogas is an attractive application of PAL. More than 95% of Costa Rica's electrical energy is derived from renewable energy sources ICE (2015), and the privately generated electricity must be sold to the national grid controlled by the Costa Rican government-run Institute of Electricity (ICE). The challenge when producing biogas for electricity generation is therefore to make it cost-competitive relative to the already available electricity mix.

The PAL fibre (PALF), which yields around 2% of the fresh leaf, can be processed into several products, such as textiles, paper, rope, and composite materials. The study of different applications of PALF is extensive. Rafiqah et al. (2020) provide exhaustive documentation of extraction processes, properties, comparisons with other natural fibres, and applications of PALF. A recent summary of the possible applications of PALF composites, such as in the automobile or construction industries, and an analysis of the PALF mechanical and thermal strength can be found in Jain and Sinha (2022). The existing PALF extraction methods and the chemical modification to produce textiles (woven, non-woven, and knitted fabrics) from PALF are described in Jose et al. (2016). A feasibility analysis of using PALF for paper production is provided by Sibaly and Jeetah (2017). Studies of PALF applications in Costa Rica can be found mainly in the form of dissertations (see, e.g., Infante-Alfaro (2017); Salas Murillo (2020); Araya Chavarría (2023)). There have also been small ventures to manufacture fibre from PAL in Costa Rica, but to this day there are no PALF manufacturing companies in the country. Because current technology to extract the fibre from pineapple leaves is labour intensive, establishing a large-scale PALF extraction operation is not feasible. The demand for PALF-based products already starts in the pineapple industry; the material used to produce packaging solutions for transporting pineapples, such as cardboard boxes, pallets, and edge protectors, can be partly replaced with PALF composites. Moreover, rope used in the pineapple fields can be replaced

with rope made with PALF. Finally, the potential to produce biodegradable alternatives to plastics with PALF is of interest for a country that is trying to phase out single-use plastics, as demonstrated by the plastic bag legislation assembly of Costa Rica (2019) and the single-use plastic ban in national parks SINAC, Sistema Nacional de Áreas de Conservación (2020), with effect from 2019 and 2021, respectively.

The easiest PAL valorisation option, due to its relatively constant demand and its simple process, is animal feed. Fresh, ensiled, or converted into pellets, PAL can be used as a substitute for part of ruminants' diets. Buliah et al. (2019) study the properties of PAL-made pellets for feeding dairy cows. López Herrera et al. (2009) determined the nutritional value and fermentative parameters of pineapple leaves, suckers, and stems before and after ensilaged. In Costa Rica, the crown of pineapples is usually gifted to ranchers who complement their cattle's diet with it. The only large-scale operation of PAL valorisation in the country was identified in a pineapple production company that collects PAL to produce and sell silaged PAL. The diet of dairy cattle often consists of forage and grain (concentrates), and this PAL cannot completely substitute it, but it can serve as a complement, especially in the dry season.

2.3 Extraction from the field

To valorise the PAL, this first needs to be extracted from the field. Extracting the plant requires two basic steps, (1) cutting or pulling the plant from the ground and (2) collecting the plants in trucks to transport them to a facility. The fields where pineapple grows, characterised by hilly and wet terrain, and the presence of trenches to allow rainwater to flow, make the manoeuvring of machinery difficult. Several agricultural machines developed for other purposes, crops and terrains have been tested in pineapple plantations to extract and collect PAL, but the results have not been satisfactory (see, e.g., Monni (2019)). As for the collection of PAL, the large above-ground volume of pineapple plants requires the shredding of the leaves in the field or, if desired for fibre extraction, transporting large dimensional weight of leaves.

There seems to be a consensus that the disadvantages of extracting the stem and roots of the pineapple outweigh the benefits. This part of the pineapple is contaminated with soil and would need to be cleaned prior to further processing. Moreover, extracting the soil adds to the weight that needs to be transported and contributes to soil depletion. Thus, most extraction ideas, either by machine or manually, contemplate the cutting of the leave above the aerial sucker (see fig. 2.1). To this day, the only implementation of a large-scale PAL extraction operation consists of a truck with lateral arms, similar to how pineapple harvesters work, in which farm labourers need to place the previously cut plant to be rolled by a conveyer into the truck. This solution is still far from a fully mechanised operation.

A mechanised solution to extract the PAL has been envisioned mainly in two ways. First, a large vehicle capable of driving through the field, cutting and collecting the PAL has been prototyped. The problem with this type of vehicle is the required horsepower, the pressure placed on the ground, and the small capacity to manoeuvre on difficult terrain. The second idea consists of a tyre or track tractor capable of driving above the fields, to which a cutter would be attached. This second solution is practical for the type of terrain, but it requires a second vehicle to collect the PAL.

HARVESTING THE FRUITS OF UNCERTAINTY

The first study of a pineapple leaf valorisation process published in Costa Rica is a dissertation by Quesada Solís (2003), who analyses the use of PAL as a polyester resin reinforcement. Since then, numerous studies in the natural and social sciences related to PAL valorisation processes have been published in Costa Rica and elsewhere. Yet, after two decades of the creative dissertation's publication, the valorisation of PAL has not taken off in Costa Rica.

This chapter is devoted to explaining the complexity of the system in which the valorisation of PAL in Costa Rica occurs. To advance in the implementation of valorisation, it is first relevant to understand why valorisation has not taken place and what the barriers preventing it are; only then it can be theorised what can be done to bring down those barriers and which stakeholders can lead the way in the circular economy.

3.1 Theories on Circular (Bio)Economy

Due to the novelty of PAL valorisation and the complexity of the system in which it takes place, it is appropriate to define the concepts and discuss the theories that relate to the subject under study. There are several interlinked concepts we find relevant to discuss: the circular economy, the bioeconomy, the intersection of the last two, and the circular economy in the agricultural sector. Additionally, we discuss theories that serve to delineate the scope of our study. Drawing from Gottinger et al. (2020), we describe how the Technological Innovation Systems (TIS) and similar frameworks can be used to identify the factors influencing transitions to a circular (bio)economy. The analytical framework designed by Blomsma et al. (2022) based on action recipes helps us to understand how circular-oriented innovation (COI) processes unfold.

Circular Bio(Economy)

The definition of circular economy varies in the literature and Kalmykova et al. (2018) present the commonalities found among them. The first commonality is maximisation of the value of the resources in use, also called stock optimisation. Eco-efficiency is also commonly mentioned when defining CE, sometimes as a consequence of it, other times as a purpose, and in some cases as a synonym. Yet, the authors remind us that eco-efficiency can also be achieved in a linear economy and that CE should rather aim to be eco-effective. The latter focusses not only on minimising the cradle-to-grave flow of materials, but also on generating cyclical, cradle-to-cradle processes. Another concept often mentioned is waste prevention, which is frequently presented as the main purpose of CE. Finally, the four Rs (Reduce, Reuse, Recycle and Recover), the mechanism for achieving CE, is another shared feature among the CE definitions.

There are also differences between the definitions that relate to the tightness of the loop within a value chain, that is, how closely the phases should be, and to the scope, which refers to the included resources: all physical resources or only certain sectors, products, materials, and substances. Because of these differences and because the shared features are not present in all definitions, Kalmykova et al. conclude that there is no established common ground for the variety of existing CE conceptualisations. Essentially, CE is a combination of several sustainability concepts and draws on other sustainability fields to construct its strategies.

The concept of bioeconomy is commonly used alongside that of the circular economy. Their relationship and their differences as noted by Carus and Dammer (2018) serve useful in our framework. Bioeconomy involves the production of renewable biological resources and their conversion into value-added products, such as food, feed, biobased products, and bioenergy. The objectives of the bioeconomy are the introduction of healthy, safe and nutritious food and animal feed; the provision of bioenergy and biofuels to replace fossil energy; the development of new, more efficient, and sustainable agricultural and marine practices, the mitigation of climate change through the substitution of petrochemicals by materials with lower GHG emissions, and fossil fuels by biofuels; and the emergence of new business opportunities, investment and employment to rural, coastal and marine areas, fostering regional development and supporting small-to-medium enterprises.

Both the bioeconomy and the circular economy aim to avoid the use of additional fossil fuels and to a more resource-efficient system. As Carus and Dammer (2018) clarify, the circular economy and the bioeconomy are two different yet complementary approaches to promoting sustainability. The circular economy focuses on improving resource efficiency and reducing the use of fossil fuels by incorporating recycled materials into processes. Bioeconomy aims to replace fossil fuels with biomass derived from agriculture, forestry, and marine environments. The intersection between the two concepts, the circular bioeconomy, can be interpreted in many

ways. Tan and Lamers (2021) mention that the relationship between CE and bioeconomy is complex and explain that the circular bioeconomy is more than the intersection of both concepts, their combination results in a more sustainable framework. Perhaps more useful is to look at their limitations to understand their differences. CE focuses on economic and environmental benefits while ignoring the social dimension. Moreover, efficiency gains can be confronted with rebound effects in the form of increased production and consumption. As for the bioeconomy, this cannot bring the perceived environmental benefits only by substituting fossil-based resources with bio-based ones.

It is important to note that both the CE and the bioeconomy are focused on resources, i.e., they deal with the cycle of materials, but they ignore the relationship between this cycle and broader ecological processes and ecosystem services such as water, nutrient cycles, quality of the energy source, and protection of biodiversity and ecosystems. In this sense, we find relevant the study by Velasco-Muñoz et al. (2021) on CE in the agricultural sector. As the authors define it, apart from the components of the CE defined above, the CE in agriculture should also guarantee the regeneration of biodiversity in agroecosystems and the surrounding ecosystems. Additionally, they identify the main differentiating characteristics that must be considered in a CE framework for the agricultural sector. These are the perishable nature of products, the close link with natural ecosystems, and the strong seasonality of production.

Transition towards a Circular Bioeconomy

In their literature review, Gottinger et al. (2020) provide an analysis of the different theoretical frameworks used to study the transition towards circular bioeconomy (CB). They conclude that the Technological Innovation Systems (TIS) framework has empirically served as most useful to identify influential factors to transition. Markard and Truffer (2008) define TIS as *a set of networks of actors and institutions that jointly interact in a specific technological field and contribute to the generation, diffusion and utilisation of variants of a new technology and/or a new product*. Actors can be individuals, companies, or governmental and non-governmental organisations. Institutions are the regulations and norms that influence the actions, decisions, and processes of actors. The networks can be learning networks that create knowledge bridges, or they can be policy networks linking actors with the same beliefs and agenda. In TIS, barriers are called blocking mechanisms, which hinder technology diffusion and industry development. The concept of system weaknesses is also commonly used in the framework and is usually the focus of the analysis when considering policy interventions (Giurca and Späth, 2017).

Most studies assessing the CB transition analyse the strengths and weaknesses of innovation systems, the impact of certain events on the transition, and the facilitators of the transition. Less often, studies analyse the stakeholders, their roles and expectation towards the transition, and the interaction among them. A group of studies also focus on the changes that occur within

existing sectors and their role in the transition. Finally, policies and their effects were studied in specific countries or by comparing policies cross-nationally.

Gottinger et al. identify six categories commonly found in the literature of barriers to transition toward CB. First, *Policy and Regulation* is related to barriers associated with existing or missing policies and regulation implementation problems. The category of *Technology and Materials* encompasses the technical challenges associated with the application of technology and the creation of products, as well as the availability of input materials and physical infrastructure. *Market and Investment* conditions refer to obstacles related to market demand and creation and the mobilisation and availability of financial resources. *Social Acceptance* includes barriers associated with public awareness, interest and participation, as well as opposition from the public. *Knowledge and Networks* encompass barriers linked to generating and applying knowledge, as well as the existence and development of efficient networks. Finally, *Sectoral Routines and Structures* contains barriers associated with willingness and restrictiveness to change, such as risk-averse attitudes. From the analysed frameworks, TIS discovers a more extensive range of subcategories.

Circular-Oriented Innovation (COI)

A big challenge in achieving a circular bioeconomy is to find ways to maximise the use of resources and, at the same time, convert them into value-added products. Thus, innovation plays a crucial role in driving the transition to a circular economy, as it enables the development of new, more sustainable, eco-efficient, and hopefully eco-effective, business models and processes. In this sense, Blomsma et al. (2022) explain how the processes of circular-oriented innovation (COI) occur. They draw from different organisation science frameworks to examine what strategies COI practitioners find relevant and how they employ CE action recipes, i.e., relationships between concepts and actions that help to clarify how ambiguity is addressed to enable action. They structure their framework by asking the following questions: 1) What is the motivation to engage in COI? (Which residues are present and where are they?), 2) How are circular strategies visualised to address the perceived issues? (Which circular strategies are applied and where?), 3) Who should act to implement them? (Which actors?).

Surprising or not, Blomsma et al. find that the motivation to engage in COI consists of a complex mix of factors. CE solutions aim to address multiple problems, often in the form of structural wastes where there are lack of closing loops and preventative strategies. Additionally, CE practitioners identify benefits, such as larger profit margins or uncoupling from raw materials that will be scarce in the future. Answering the second question, they mention that circular strategies require linking knowledge and stakeholders in a manner not previously employed in the linear economy. Because circular strategies in complex real-life cases are not usually employed individually and instead interact with each other, an understanding of these

synergies is required. This relates to the fact that CE is an umbrella term that, as mentioned before and explained by Kalmykova et al. (2018), draws from different sustainability strategies. Finally, the answer to which action is needed to implement CE solutions is focused on value network dependencies. The difficulties that COI practitioners face as CE strategies progress are related to the dependence on other actors within the system. Additionally, Blomsma et al. (2022) remark on the importance of deciding when stakeholders should be involved in innovation processes. Early engagements can hinder certain CE solutions, and sometimes it is best to wait until a solution is better developed to seek collaborations. Finally, by identifying the CE action recipes, some of the barriers initially defined as important by practitioners can be discarded later in favour of fewer but more central barriers. By focusing on a subset of barriers, innovators can take action more easily, which also allows them to take further steps more easily in the future. Nevertheless, this idea raises the question of when a circular solution can be considered to be sufficiently developed. In this sense, the authors recommend taking a sufficiently long time horizon to understand circular phenomena in business.

As mentioned above, value network dependencies play a relevant role in COI implementation. Therefore, we find it useful to look into how collaboration takes place in COI more deeply. Brown et al. (2019) provide an insight into the motives, barriers and drivers that stimulate or hamper collaborative innovation within the context of CE. They divide the identified motives into intrinsic (realised for their own sake), and extrinsic (realised for external recognition). Both can originate from the personal and organisational levels. For example, responsibility for sustainability can have intrinsic and extrinsic motives, and such motives trigger collaboration with other actors if both parties feel alignment between their motivations. Moreover, the recognition of interdependence also stimulates collaboration. The complexity of CE strategies and the dispersion of knowledge among stakeholders drives this interdependence.

Another motive driving collaboration is the necessity to find suitable experimental arrangements. These arrangements break down complex systems into manageable projects. Then, experimentation helps in creating knowledge, and in engaging stakeholders to develop evidence that helps overcome barriers to adopting CE strategies. Testing at scale is important to identify unintended or unexpected impacts in the system, and collaboration is necessary to share the potential risks and costs. The last motive that stimulates collaboration identified by Brown et al. is the need to implement the business model. This motive is not as developed because technical innovation is usually more advanced than market/business model innovation. Collaboration is needed to develop all the operations required for CE strategies, but there is less collaboration in this area due to competition. In this sense, a clear barrier to collaboration in the context of COI is the contradiction of companies wanting to share but also protect knowledge. Moreover, sharing economic rewards becomes more difficult as companies prioritise individual returns over the shared benefits drawn from the project. This creates a cultural barrier that can hinder the

progress of collaborative innovation efforts beyond the experimental phase.

If the culture in the organisations involved in COI is not aligned, the shared CE objectives will not develop. The challenge is to increase internal motivation and change culture before even achieving evidence of CE. As concluded by the Brown et al., COI is confronted with the challenge of transitioning from exploring new market opportunities and closed-loop experiments to initiating societal transformations through larger-scale collaborations. This necessitates overcoming barriers related to organisational mindsets and collaborative knowledge sharing. The latter requirement is a shared concept among CE frameworks. For example, Antikainen and Valkokari (2016) highlight the importance of the interaction between stakeholders when building CE business models. Their study corroborates the idea that CE business models are not isolated but rather integrated into a system of business models that together close a material loop. COI, in this sense, requires the collaboration and communication of many parties.

Inventions do not necessarily bring innovation. When we analyse the valorisation of PAL, we can think of it merely as the invention of a new product and the recycling of agricultural residues, or we can see it as part of an innovation process driven by many stakeholders for a sufficiently long period of time to transition to a more circular economy. Whether PAL valorisation remains an invention or progresses to become an innovation depends on the capacity of the industry and stakeholders to overcome the barriers preventing its implementation and to exploit its linkages to the circular bioeconomy revolution.

3.2 Methodology


3.2.1 Fuzzy Cognitive Maps for knowledge elicitation and analysis

A lot of knowledge is created in the process of innovation. Many times, this knowledge can be dispersed, or fuzzy. The fuzzier the knowledge representation, the easier the knowledge acquisition, but also the harder the knowledge processing. In such cases, Fuzzy Cognitive Mapping (FCM) serves as a great tool for eliciting this fuzzy knowledge because it allows fuzzy degrees of causality between causal concepts (Kosko, 1986).

FCM is a technique that builds quasi-quantitative models from the knowledge of interconnected variables in a system. It was first introduced by Kosko (1986), who presented FCM as a tool to model complex systems and decision-making. Fuzzy Cognitive Maps are composed of a set of nodes that represent the variables or concepts of the system and a set of links between them that represent the relationships between the variables. Each link is associated with a weight that represents the strength of the relationship between the variables. These weights can be positive or negative and, thus, variables can “decrease” or “increase”. A simple example

of an FCM with three concepts and four connections is presented in fig. 3.1. The connections between the variables in the system represent causal influence. Exploring how these causal influences propagate through the system when it is subject to change or intervention is the main objective of FCM (Barbrook-Johnson and Penn, 2022).

Figure 3.1: Example of a Fuzzy Cognitive Map



There are two main approaches to using FCM. The “causal” approach implies that the strength of links between concepts represents how certain the experts are that a factor causes, or suppresses, another. The “dynamical” approach models the propagation of effects of one concept on another, resulting in a representation of the relative magnitude of changes in concept values. This approach allows us to understand which concepts are the most important or the most influenced in a system. In our study, we use the dynamical approach because it reflects a widespread usage of FCM in a participatory manner and allows for a better interpretation of cognitive maps.

The FCM modelling technique allows for more nuanced modelling of relationships that better reflect the uncertainty and ambiguity that are often present in real-world systems. As Özesmi and Özesmi (2004) explain, FCM can involve local people who typically possess a comprehensive understanding of the ecosystem and whose participation and input can be crucial for informed decision-making and for gaining acceptance from the public for the proposed solutions. Furthermore, “wicked” environmental problems that involve many stakeholders and which have no easy solutions can benefit from a model that brings together the knowledge of different experts from different disciplines and compares their perceptions. In this way, FCM can help to understand the advantages and disadvantages of possible decisions. Finally, it is important to highlight the benefits of the interaction between the researcher and the stakeholders throughout the analysis. As a participatory approach, FCM allows for recursive feedback, which helps to model an accurate representation of reality. Moreover, this approach

provides the stakeholders with the opportunity to reflect on the problem at hand; the process of building a Fuzzy Cognitive Map is as important as its results.

The use of FCM in the field of environmental studies is extensive, covering climate change (Kontogianni et al., 2012; Singh and Nair, 2014; Reckien, 2014), deforestation (Kok, 2009), fire ecology (Devisscher et al., 2016; Eriksson et al., 2022), pollution (Anezakis et al., 2016; Salberg et al., 2022; Özesmi and Özesmi, 2003), renewable energy (Jetter and Schweinfurt, 2011; Alipour et al., 2019; Kyriakarakos et al., 2014), urban ecology (Assunção et al., 2020; Olazabal and Pascual, 2016), water use (Giordano et al., 2005; Kafetzis et al., 2010), and waste management (Falcone and De Rosa, 2020; Morone et al., 2021; Kokkinos et al., 2018; Konti and Damigos, 2018).

There are many ways of developing and applying Fuzzy Cognitive Maps, but the structure is regularly the same. We find that the six steps proposed by Edwards and Kok (2021) and illustrated in table 3.1 are suitable for our case. The authors implement an episodic and asynchronous method with the participation of stakeholders on two occasions. The process starts by determining the scope and objective of the study, which results in the design of an interview outline. The second step is the selection of stakeholders. Then, stakeholders are consulted to generate knowledge by means of in-depth individual interviews. The fourth step consists of the qualitative aggregation of concepts, in which the interviews' output is analysed and harmonised. In the fifth step, stakeholders participate for the second time to weigh the connections identified in the previous step, resulting in individual fuzzy cognitive maps. The last step involves combining the responses to generate the aggregated FCM and further analyse it. In the following sections, the implantation of these steps for our case is explained in detail.

Table 3.1: Fuzzy Cognitive Map Building Steps and Products

	Process	Product
Step 1	Definition of objective and scope	Interview Questions
Step 2	Stakeholder selection	List of Participating Stakeholders
Step 3	Knowledge generation	Original concepts and connections
Step 4	Qualitative aggregation	Generalised labels for concepts, added connections
Step 5	Weighting connections	Individual FCMs
Step 6	Quantitative aggregation	Aggregated FCM

Adapted from Edwards and Kok (2021)

3.2.2 Definition of objective and scope


We begin by defining the objective and scope of the FCM study which, as explained by Edwards and Kok (2021), guide both stakeholder identification and the questions posed to elicit knowledge about the system. In this chapter, we try to achieve the first objective defined in

the Introduction: to understand why the valorisation of PAL has not taken off in Costa Rica. Thus, the scope, which refers to the study area we try to describe, is at the national level. The main question is *What are the barriers preventing the valorisation of PAL in Costa Rica?* Thus, PAL valorisation is the first and central concept of the FCM. Finally, we define the interview questions to be asked to the stakeholders in the third step. It was decided to formulate open-ended questions to allow the interviewees to elaborate on their answers; this is often the domain of qualitative research (Barbrook-Johnson and Penn, 2022). The interview template is shown in section A1.1.

3.2.3 Stakeholder selection

When implementing FCM, it is important to represent all the people who impact or are affected by the system under study. A good way to determine whether the population to be represented has been sampled sufficiently is to check the number of new concepts added by each new participant. Özesmi and Özesmi (2004) examined accumulation curves of the total number of variables versus the number of interviews, as well as the number of new variables added per interview, using Monte Carlo techniques. Their results, depicted in fig. 3.2, show that as the number of interviews increases, the number of new variables decreases and that the total number of variables increases at a decreasing rate. This behaviour is normal if we consider that most stakeholders in the system share the same vocabulary about the subject of enquiry. A similar result can be found in Morone et al. (2021), whose research demonstrates how the generation of new variables decreases rapidly. However, Özesmi and Özesmi (2004) note that we can expect one or two new variables to be mentioned for each new interview.

Figure 3.2: Accumulation curves of concepts versus interviews



Source: Özesmi and Özesmi (2004)

It is useful to think of categories when selecting stakeholders in the system, and then identify individuals who fit the categories. As such, in our case study, we defined three broad categories:

research, government, and industry. Once contact was made with an individual within each category, more participants were identified by snowballing.

3.2.4 Knowledge generation

Edwards and Kok (2021) highlight how important it is that the researcher designs and executes stakeholder engagement during their participation in the knowledge elicitation process so that their perspective is represented in the final product of the FCM. At this stage, the researcher decides the balance of coproduction, i.e., how much stakeholder input and researcher input are used in the process. Semi-structured in-person interviews were held separately with each identified stakeholder. It is important to have a structured interview process that allows for the collection of detailed information, while also giving the interviewee the freedom to share the information they deem most important. In the interviews, the stakeholders were first introduced to the objective and scope of the study. Then, the predefined questions were asked and, depending on the interviewees' responses, additional questions were posed to clarify or augment the information provided. No concepts were provided to stakeholders, but it was ensured that the focus was kept on the valorisation of PAL. The interview sessions lasted between 40 and 120 minutes, were conducted between August and November 2022, and were recorded when the respondents gave their consent.

3.2.5 Qualitative aggregation

The recording of the interviews was transcribed using Whisper, a general-purpose speech recognition model. The script used for the transcription can be found in the Supplementary Material. The transcription of the interviews along with the notes taken by the researcher was used to create a list of concepts mentioned by the participants. In cases in which the interviewees defined the same concept using different vocabulary, the definitions were grouped into one concept. As concepts were identified, connections were established as well.

In fig. 3.3 we demonstrate how the following statement made by one of the stakeholders was converted into four concepts and three connections: “[W]hat we are looking for with the recovery of stubble is ... converting something that today is waste into a value-added product. [A]n economic benefit, but also a social and environmental benefit. For example, if we avoid the fly problem, we already have an important environmental benefit.” This is a straightforward example, as it includes the central subject of study, the valorisation of PAL, and its main consequences.


In the figure, it can be observed how vocabulary harmonisation and concept grouping take place. In step a, identified concepts and connections between them are extracted from the

interviewee's statement. Then, the concepts *Recovery of stubble* and *Value-added products* are grouped into *PAL valorisation*. *Economic benefit* is translated into *Increase profitability of the pineapple producers*, as producers are assumed to be the ones that valorise PAL in most cases. Moreover, economic benefit is a broad concept that can have different definitions for different stakeholders. For the second round of stakeholders' participation, it is important to use concepts that are clear and that convey a similar definition to everyone. For this harmonisation process, analysis of commonly used terms used in the literature is also useful. The same explanation is valid for the translation of *Environmental benefits* into *Increase Community's Health/Wellbeing*.

In the third step, it can be observed how the concepts take their final shape. The impact previously denoted in words, increase and reduce, are now connections, represented by positive and negative signs. It is worth noting how this affects the relation between concepts: in step two, Community's Health/Wellbeing is enhanced because stable fly is avoided as PAL valorisation takes place. In the FCM, this is represented by two negative effects, one from the valorisation of PAL to the propagation of the stable fly, and another from the latter to the Community's Health/Wellbeing. In this way, the effect of PAL valorisation on Community's Health/Wellbeing is transmitted through a negative effect to and from the (presence of) stable fly. This simple example also shows how important it is to use concepts that behave like variables, i.e., that can be thought to increase or decrease.

The concepts and connections shown in fig. 3.3 are only part of the FCM built for our case, and the displayed concepts can affect or be affected by many other concepts. The aggregation and harmonisation process exemplified here needs to be repeated by revisiting statements and checking the logic and internal consistency within the concepts and connections. As more statements from different stakeholders are analysed, concepts are renamed, and connections are added or deleted. Finally, we find a map that represents how stakeholders perceive the system dynamics and that can be understood with ease.

Figure 3.3: Example statement processing to build FCM concepts and connections




3.2.6 Weighting connections

After the concepts and connections are identified, the next step is to assign weights to the connections. For this purpose, a second round of participation from stakeholders is conducted using an online questionnaire. Qualtrics Online Survey Software was used to make the questionnaire form. For each connection, stakeholders were asked to assign a value to the strength they think exists between concepts. In the previous step, the sign of the connections was assigned based on what the majority of the statements from the interviews indicated. Thus, stakeholders were asked to indicate only the value of the connections. At the end of the questionnaire, respondents could comment on relationships or signs that they thought were incorrectly identified, or add new concepts and connections that they thought were missing. At this point, it is relevant to remind the reader that the FCM developed in this study is the so-called dynamical FCM, which means that the values represent the propagation of effects of one concept on another and not the measure of certainty that the stakeholder has of the connection.

All the questions in the questionnaire followed the same structure “If concept A increases, how much does concept B increase (decrease), on a scale from 1 to 5? (1 being increases (decreases) little and 5 being increases (decreases) a lot)”. Initially, qualitative values — Very High, High, Medium, Low, Very Low — were used in the questionnaire, but it was soon realised that this, together with the sign of the connection, was confusing to respondents, and that a numerical scale, coupled with the terms increase and decrease to represent the sign of the connections, was simpler to interpret. The best way to formulate the questions is the one that works for the case and the target group, and examples of both qualitative and quantitative values can be found in the literature (e.g., see Morone et al. (2021) for the former and Olazabal and Pascual (2016) for the latter). A glossary containing all concepts and a definition was provided with the questionnaire in case the respondents had doubts about what a concept term meant. At the end of the questionnaire, the output of the previous step, the visual map with all identified concepts and connections, was also provided to assist respondents in identifying missing concepts and connections. After four weeks of sending the questionnaire, the responses were collected to proceed with the final step in the process.

3.2.7 Quantitative aggregation

For the purpose of quantitative aggregation, the FCMpy package, a Python package for building FCMs and implementing scenario analysis, was used (Mkhitarian et al., 2022). The data extracted from the questionnaire responses was transformed to fit the structure required to use the package. The script produced to handle the data can be found in section A2. Then we aggregate the responses by converting the categorical ratings to numerical weights. Sometimes, researchers use a scale to weight the consistency of stakeholders’ answers, giving more weight to experts who are believed to be more knowledgeable. In our case, we have made the assumption that all individual FCMs are equally valid and, thus, the same weight was applied to all maps. Aggregation of individual FCMs can be performed in several ways, the averaging of all individual matrices being the simplest (Jetter and Kok, 2014). This aggregation approach is usually followed by normalisation of the values to narrow the weights of the connections in the range $[-1, 1]$. Several examples using this approach can be found in the literature (see (Lopolito et al., 2020; Morone et al., 2021, 2019)). In other cases, the authors do not explicitly explain the method used, and it is simply mentioned that the aggregation is handled by the software selected to perform the analysis Konti et al. (2022); Kokkinos et al. (2020); Falcone and De Rosa (2020). In our case, we implement fuzzy logic to perform the aggregation of individual FCMs, as recommended by the developers of the FCMpy package. The aggregation via fuzzy logic, although not common, has been used in the past (Nasirzadeh et al., 2020; Amini et al., 2022). This method has the advantage of using membership function maps, which are useful when it is hard to define a specific cutoff value for a linguistic term (Wang, 2015). Thus, this technique



Adapted from Mkhitarian et al. (2022)

is well-suited to FCM applications where the input is created from human expert knowledge.

Conversion to numerical weights requires four steps: 1) define the fuzzy membership functions, 2) apply a fuzzy implication rule, 3) combine the membership functions, and 4) defuzzify the aggregated membership functions to derive numerical causal weights (Mkhitarian et al., 2022). In Step 1) we define a triangular membership function that represents the linguistic terms, as can be observed in fig. 3.4a. Step 2) requires calculating the proportion of the answers to each linguistic term for a given concept and then applying a fuzzy implication rule to allocate the weights to the corresponding membership functions. The Mamdani minimum fuzzy implication rule is used, which basically applies a function to compute the element-wise minimum of the array elements to cut the membership function at the endorsement level, as shown in fig. 3.4b. The aggregation of the membership function takes place in step 3), using an fMax function, simply computing the element-wise maximum of array elements, in this case to “merge” the membership functions, resulting in a single shape representing the level of endorsement for a particular connection. Finally, we defuzzify the aggregated functions by means of the centre-of-gravity method, resulting in a single value for each concept, as shown in fig. 3.4c. At the end of the aggregation of individual FCMs via fuzzy logic, we obtain a value for each connection representing its social (aggregated) weight. In practice, the result is a matrix $n \times n$ whose element E_{ij} indicates the value of the weight W_{ji} between concept C_j and concept C_i .

With the aggregated matrix, we can now perform a dynamic analysis of the FCM. As

Edwards and Kok (2021) mention, in a mathematical sense, the output of the analysis is static rather than dynamic, so they adopt the term ‘quasi-dynamic’ to indicate the dynamic character of the interpretation of the changes in the system. We agree with this caveat and find it relevant to mention. This quasi-dynamic analysis allows us to see where the system will go if things continue as they are, i.e., to determine the steady state of the system (Özesmi and Özesmi, 2004). The steady state value taken by each concept reflects its importance within the system according to stakeholders’ knowledge and provides an idea of the evolution of the system in current circumstances (Lopolito et al., 2020).

To compute the steady state of the system, a vector of initial states of variables (usually set to 0 or 1) is first multiplied by the aggregated adjacency matrix of the FCM. Then, the resulting transformed vector is repeatedly multiplied by the adjacency matrix and transformed until the system converges to the steady state. To maintain the values in the range $[0,1]$ and reach steady state, an inference method, including a threshold function, is used in each iteration:

$$A_i^{t+1} = f \left(A_i + \sum_{j=1}^n A_j^t W_{ji} \right), \quad (3.1)$$

where A_i^{t+1} is the value of concept C_i in the simulation step $t + 1$, A_i^t is the value of concept C_i at simulation step t , A_j^{t+1} is the value of concept C_j at time t , W_{ji} is the weight of the interconnection from concept C_j to concept C_i , and f is the Sigmoid bounded monotonic increasing function in the form

$$f(x) = \frac{1}{1 + e^{-\delta x}}, \quad x \in \mathbb{R}, \quad (3.2)$$

where x is the defuzzified value and δ is a steepness parameter for the Sigmoid function. Note that this non-negative transformation allows a better understanding and representation of activation levels of variables (Özesmi and Özesmi, 2004). The inference method shown in eq. (3.1) is the modified Kosko function, a modified version of the Kosko rule that is suitable when we require updating the activation value of concepts that are not influenced by other concepts (Sujamol et al., 2018). A rescaled inference rule is also included in most FCM packages and software programmes, although its properties are not well explained. To our knowledge, the rescaled inference rule was introduced by Papageorgiou (2011) to avoid conflicts in which the initial values of the concepts are 0 or 0.5, or in cases where the initial values of concepts are not known. However, this inference method was applied in the context of health informatics, and therefore we decided not to consider it for our study.

It is important to note that iterations are not related to time. This property allows an

interpretation of the dynamics of the different factors relative to the other factors or relative to other descriptions of the system (Edwards and Kok, 2021; Diniz et al., 2015). In this sense, it is possible to evaluate different scenarios and outcomes by asking “what-if” questions and simulating different conditions or policy choices. This can be used to compare what policy decisions or changes in the system would have the greatest effect on the variables of interest.

3.3 Results and Discussion

3.3.1 Descriptive analysis

A total of 14 experts participated in the study. Three are classified as research related, one as government, and 10 as industry related. In the latter, we can find companies directly related to pineapple production and companies that are involved in PAL valorisation in some way. All stakeholders participated in the first round of participation, which consisted of one-to-one, in-person interviews. The online questionnaire, which took place in the second round of participation, was responded to by only half of the stakeholders. Four additional pineapple producers, two government agencies, and one company related to PAL valorisation were contacted to participate in the study, but no response was received. A list of stakeholders, their affiliation and role, and their participation in the participation rounds can be found in table 3.2.

The generation of knowledge by stakeholders in the interviews resulted in 32 concepts and 52 connections. The diagram representing the connections is presented in fig. 3.5. A list with a description of the concepts, which was also shared with the stakeholders in the questionnaire, is shown in table A1.1. A section to add comments was provided on the online questionnaire, and valuable feedback was given by three stakeholders. The stakeholders mentioned that some concepts were too broad and that narrowing the definition can make the connections clearer. They also mentioned a disagreement with the effect of the concept *Profitability* on the concept *Sustainability of the industry*; indeed, in the interviews some stakeholders defined this relationship as positive, but the majority stated that it was negative. Finally, stakeholders emphasised the importance of the industry transparency for the collection of data needed to conduct large-scale valorisation studies, and that the results of the small-scale studies that have been developed cannot be extrapolated. No further concepts or connections were added in this comment section.

Table 3.2: Profile, role and participation of stakeholders

Group	Respondent Code	Role	Participation in 1st round	Participation in 2nd round
Research	R1	Works at university conducting research in pineapple valorisation options	Yes	Yes
	R2	Works at university conducting research in pineapple valorisation options	Yes	Yes
	R3	Agri-food research organisation involved in the design of an extraction machine	Yes	No
Government	G1	Agency of the Ministry of Agriculture in charge of protecting agricultural resources from pests.	Yes	No
Industry	I1	Small-scale farmer considering valorisation options	Yes	Yes
	I2	Large-scale farmer	Yes	No
	I3	Medium-scale farmer with various PAL valorisation projects	Yes	No
	I4	Large-scale farmer with a PAL valorisation business	Yes	Yes
	I5	Large-scale farmer with a R&D team researching valorisation options	Yes	Yes
	I6	Association of pineapple producers	Yes	No
	I7	Company working on field extraction machine	Yes	Yes
	I8	Company marketing PAL as fodder	Yes	No
	I9	Company producing and marketing PALF	Yes	No
	I10	State-owned enterprise that developed a PAL-based biogas plant	Yes	No
Number of participants			14	7

Most of the concepts were mentioned by more than one stakeholder. The most mentioned concepts, in addition to *valorisation of PAL*, were *Extraction from the field*, *Innovation*, *Use of agrochemicals*, and *Government presence*. The least mentioned concepts are *Ranchers' productivity*, *Soil fertility*, and *International instability*. It is also useful to look at the entropy, defined as

$$E(R) = - \sum_{i=1}^{11} p_i \times \log_2(p_i), \quad (3.3)$$

for a relationship R , where p_i is the proportion of responses (per linguistic term) to the causal relationship between two concepts. As an example, take the entropy for the effect of *PAL valorisation* on *Sustainability of the industry*. For this relationship, one linguistic term was chosen by three respondents, another two terms were chosen by two respondents each, and the remaining eight terms were not chosen. This translates to $1 \times (-\frac{3}{7} \times \log_2(\frac{3}{7})) + 2 \times (-\frac{2}{7} \times \log_2(\frac{2}{7})) = 1.50$. The larger the entropy, the less agreement there is between experts on a particular relationship. Of the 52 connections in the FCM, *Collaboration/Communication* on *Innovation* was the connection with the lowest entropy (0.954), and *Labour Productivity* to *Extraction from the field* and *Stubble Management Regulation* to *Agrochemicals Use* the two with the highest entropy (2.50). The median and the mean of the entropy values are 1.75 and 1.79 respectively.

It is also valuable to describe the structure of the FCM using graph theory and network analysis. Specifically, we can look at the network density, the in-degree and out-degree, and the centrality of the network. The density tells us how closely the concepts are connected to each other in the network. In-degree and out-degree measurements represent the total weight of relations that enter and exit a particular concept. Finally, centrality represents the sum of in- and out-degrees, determining the role of the individual variables within the system.

The network density can be calculated easily, it is simply the number of connections in the system over the potential connections. The network density of our FCM is $52 / \frac{32 \times 31}{2} = 0.104$, i.e., a density of 10.4%. Özesmi and Özesmi (2004) note that a low density indicates that interviewees see a low number of causal relationships among concepts, which translates into fewer options to change things in the system, and Jetter and Kok (2014) explain that it can be interpreted as an undesirable loss of information on connections or as a desirable focus on less but truly important connections. The out-degree and in-degree indices are presented in table 3.3. The most influential variables in the system are *Innovation*, *Extraction from Field*, and *PAL valorisation*. Similarly, the variables that influence the most are *PAL valorisation*, *Stubble Management Regulation*, and *Innovation*. Since *Innovation* and *PAL valorisation* have large in-degree and out-degree indices, they are considered important in the transition process of the system.

There are eight “senders”, i.e., variables with zero in-degree and positive out-degree, meaning that their role is to stimulate the rest of the system. The senders are represented by a circle in fig. 3.5. It is relevant to note that senders are generally used as policy drivers for intervention scenarios (Morone et al., 2021). In our case, we consider the following concepts as policy drivers: *Green Consumers*, *Government Presence*, *Import Regulations*, and *Industry Transparency*. From these policy variables, government presence and Green Consumers have the largest out-degree value, meaning that they can have the largest impact on the system. Similarly, there are two *receivers*, variables with positive in-degree and zero out-degree, they receive input from other variables and can be used as final monitors of the system. The two receivers are *Soil Fertility* and *Ranchers productivity*. The rest of the variables, those with non-zero in-degree and out-degree, are “transmitters”, and keep the system connected. Usually, receivers are outcome variables; they reflect the response of the system to interventions. In our case, the outcome variables can be both receivers and transmitters, and they are *Ranchers productivity*, *Pineapple Producers’ Profitability*, *Community’s Health/Wellbeing*, and *Industry Sustainability*. These outcome variables are represented with blue boxes in the fig. 3.5.

Table 3.3: Network analysis indices & results of the baseline quasi-dynamic analysis


Variable	In-degree	Out-degree	Centrality	Steady state value
innovation	4.44	2.02	6.45	0.97
fieldExtraction	3.22	1.96	5.18	0.94
palvalorisation	3.19	4.69	7.88	0.94
funding	1.79	1.27	3.07	0.85
palProductsDemand	1.77	1.83	3.60	0.85
pineappleProdProfitability	2.39	0.98	3.37	0.82
laborProductivity	0.66	0.57	1.23	0.81
industrySustainability	1.75	0.60	2.35	0.81
landAvailable	0.64	0.53	1.17	0.80
academia	0.67	0.60	1.27	0.80
employment	0.50	1.25	1.75	0.78
industryImage	0.79	0.53	1.32	0.77
businessRisk	0.50	0.54	1.04	0.77
pineappleProdProductivity	0.53	0.62	1.14	0.77
industryCustoms	0.50	0.60	1.10	0.76
pollution	0.75	0.74	1.49	0.70
collabComms	1.28	0.77	2.04	0.66
stubbleMgmtRegulation	0.69	2.98	3.68	0.66
costFFmaterials	0.57	1.08	1.65	0.66
ranchersProductivity	0.71	0.00	0.71	0.58
communityHealth	2.15	0.79	2.93	0.57
soilFertil	0.37	0.00	0.37	0.55
stableFly	1.16	1.48	2.63	0.36
agrochemicalsUse	3.03	0.75	3.78	0.20
companySize	0.00	1.30	1.30	0.00
govtPresence	0.00	1.36	1.36	0.00
importRegulations	0.00	0.68	0.68	0.00
industryTransparency	0.00	0.61	0.61	0.00
rain	0.00	0.61	0.61	0.00
unevenTerrain	0.00	0.60	0.60	0.00
intInstability	0.00	0.57	0.57	0.00
greenConsumers	0.00	1.13	1.13	0.00

3.3.2 FCM model and fuzzy inference

The interpretation of FCM outputs from the quasi-dynamic analysis is done by comparing the steady-state values of concepts after stabilisation. The steady state was achieved in the 10th iteration, as shown in fig. 3.6. This output reflects the current perception of stakeholders about the pineapple sector in Costa Rica in the context of circularity driven by PAL valorisation.

As expected, the drivers of the model go to zero. We added a self-reinforcing relationship to the matrix, as recommended by Diniz et al. (2015), but the steady state of the remaining variables did not change and the drivers reached the same value, not providing additional information. Most variables' steady-state corresponds to their centrality, i.e., those with high centrality also have a large steady-state value. However, some observations are in order. *Collaboration/Communication*, *Stubble Management Regulation*, *Community's Health*, *Stable Fly* and *Agrochemicals Use* are all relatively low compared to other variables with similar centrality, and *Labour Productivity*, on the contrary, presents a relatively high steady-state value. It is also important to note that the transmitters with the highest values, apart from the obvious and central ones (innovation, field extraction, and PAL valorisation), are *Funding*, *Labour Productivity*, and *Academia*.

Figure 3.6: The output of the quasi-dynamic analysis. The output for 11 concepts that go to zero is not shown.



3.3.3 Drivers' intervention simulation

The baseline output is useful to analyse what stakeholders believe is the unaltered result of the system's dynamic. This does not mean, for example, that the large values of *Innovation*

necessarily translate to a current situation of extensive innovation. Instead, it tells us that *Innovation* is the central variable in the context of circularity and sustainability in the pineapple sector in CR. As such, we find it interesting and useful to analyse scenarios in which drivers are modified from the initial weights defined by stakeholders to see how the outcome variables react. We run the dynamic analysis under four different scenarios and compare the results in fig. 3.7. Usually, scenarios are built by either modifying the initial values of the concepts (single-shot interventions) or by introducing a new concept in the initial FCM and defining the connection weight that it has on the target concepts (continuous interventions). We tested both types of scenario implementations and found no significant differences. The values shown are for the continuous interventions' implementation. In addition to the individual interventions, we run simulations with mixed interventions to see if there is a different effect when joining the stimuli of two drivers. The effect on the outcome variables for the individual interventions and the mixed interventions is depicted in fig. 3.8.

Figure 3.7: Impact of interventions on outcome variables (% Change from steady state of baseline)

		Intervened Concepts			
		govtPresence	importRegulations	greenConsumers	industryTransparency
Concepts	academia	0.0028	0.0013	0.0017	2.4e-05
	agrochemicalsUse	-7.6	-49	-41	-0.014
	businessRisk	-0.049	0	-2.2	-4.2e-05
	collabComms	24	0	0	22
	communityHealth	1.4	0.86	0.75	0.0016
	costFFmaterials	0	0	0	0
	employment	0.088	5.9e-07	0.04	0.0014
	fieldExtraction	0.051	6.7e-06	0.019	0.012
	funding	0.02	0.0085	0.011	0.00014
	industryCustoms	0.01	2.6e-08	0.0046	0.00017
	industryImage	0.17	0.11	0.097	0.00027
	industrySustainability	2.2	6.6e-07	0.042	0.0015
	innovation	0.48	0.00013	0.11	0.25
	laborProductivity	0.069	2e-05	0.017	0.036
	landAvailable	0.098	6.7e-07	0.044	0.0016
	palProductsDemand	0.18	2.4e-08	8	0.00013
	palValorization	0.69	6.1e-06	0.31	0.011
	pineappleProdProductivity	0.012	3.1e-08	0.0054	0.0002
	pineappleProdProfitability	0.084	5.7e-07	0.038	0.0013
	pollution	-0.44	-2.9	-2.4	-0.00086
	ranchersProductivity	1.1	1e-07	0.022	0.0008
	soilFertil	-0.14	-9.1e-07	-0.065	-0.0023
	stableFly	-7.7	-2e-06	-0.14	-0.005
	stubbleMgmtRegulation	24	0	0	0


The intervention in *Government presence* had the most significant effect on all four outcome variables by far, *Industry Sustainability* receiving the largest impact, followed by *Community's Health/Wellbeing*. The drivers *Import regulations* and *Green Consumers* also had a significant

impact on *Community's Health/Wellbeing*. The outcome variable that was less affected by single interventions was *Profitability of the pineapple producers*. The intervention of *Import regulations* only had a small effect on *Community's Health/Wellbeing*, and the intervention of *Industry's Transparency* had a negligible effect on the outcome variables.


Analysing fig. 3.7, we notice that the effect of single interventions on transmitters was more heterogeneous than on outcome variables. The driver that affected more transmitters was *Government presence*, followed by *Green Consumers*. The transmitters affected the most were *Agrochemical use*, *Pollution*, and *Collaboration/Communication*. The latter is only affected by *Government presence* and *Industry Transparency*, not by the intervention of *Import Regulations* and *Green consumers*. Interestingly, these two drivers reduce *Pollution* significantly, which tells us that even though stakeholders believe that greater government participation and industry transparency can improve collaboration, it would not significantly reduce pollution. Only regulations imposed by importing countries and consumer preferences can change the behaviour of producers and, consequently, the level of pollution. These claims are supported by the literature, although with some caveats. Sajjad et al. (2015) explain that inadequate government support is one of the barriers to the implementation of sustainable supply chain management. As stated in a report by the OECD (2017), this is the case in the Costa Rican agricultural sector, in which a fragmented institutional structure obstructs the coordination of actions and policy objectives. Furthermore, the report acknowledges the deficit in the technical capacity of the agricultural public sector and its investment restrictions due to the intensification of budget restrictions since 2013. As regards consumer preferences, the benefits of going green – increased efficiency in resource use, increased sales, development of new markets, improved corporate image and enhanced competitive advantage— are understood by companies (Dangelico and Pujari, 2010). Regarding import regulations, the evidence is mixed, but Montiel et al. (2019) notes that the expansion of certifications creates uncertainties for producers that consequently reduce their readiness to adopt any standard.

We can also observe that the effect of *Import regulations* and *Green Consumers* on *Community's Health/Wellbeing* is channelled through the reduction of *Agrochemical Use*, while that of *Government Presence* is channelled through two transmitters, *Stubble management regulation* and *Agrochemical Use*. We also find it interesting to note the negative impact on *Business Risk* due to the intervention on *Green consumers*. The direct connection between the concepts, which makes this impact large, is due to stakeholders indicating that *Business Risk* is one of the main factors preventing investment in innovation related to PAL extraction and innovation. This is reasonable, as one of the main barriers in the development of sustainability strategies is the uncertainty about market demand (Chkanikova and Mont, 2015). Therefore, we can see how more green consumption, which increases the demand for PAL products, alleviates this uncertainty and reduces business risk.

Figure 3.8: Impact of (mixed) interventions on outcome variables



(a) Impact of interventions on outcome variables



(b) Impact of Mixed Interventions on Outcome Variables

Regarding mixed interventions, the first thing that strikes us when we look at fig. 3.8b is the greater effect that a combination of drivers can have on outcome variables. The effect of the first three mixes can be attributed mainly to *Government Presence*. The effect of the other three intervention mixes is almost negligible, except for the case of *Community's Health/Wellbeing*. The combination of *Government Presence* and *Green Consumers* brings the greatest benefit to all outcome variables, highlighting how the influence of market demand and regulations can ensure collaboration and reduce unsustainable practices at the same time. On the other hand, a relevant remark is that the percentage change from the steady-state values attributed to these mixes is not much greater than the changes attributed to the single interventions. For example, the mixture of *Import Regulation* and *Green Consumers* results in a change of 1.11% from the steady state value of *Community's Health*, whereas the changes from intervening these variables alone are 0.86% and 0.75%, respectively. This is relevant, for instance, when deciding what policies or changes should be prioritised to attain sustainability in the industry and for companies to know how external factors can affect their business.

3.3.4 Bringing it all together

As we observe in the FCM diagram fig. 3.5 and looking at the centrality in table 3.3, PAL valorisation is essential in the system. Due to its centrality, it is challenging to understand how it can be enhanced so that the impact on outcome variables increases. The concept representing the valorisation of PAL was modelled neither as a driver nor as an outcome variable, precisely because it is the means to an end. If we were to perform the quasidynamic analysis intervening in *PAL valorisation*, we would see a larger impact on the outcome variables than when intervening in the selected drivers (except for *Government Presence*). But this is a fictitious intervention since PAL valorisation is not caused by itself, it needs to be “activated” by a driver of change.

Clearly, PAL valorisation can have a positive effect by substituting the use of agrochemicals, increasing employment, generating additional profit for producers, and improving the image of the industry, as has been modelled by stakeholders. The quasi-dynamic analysis of the FCM provides a visual and numerical representation of this perception by stakeholders. However, stakeholders also represent the complexity of PAL valorisation in the FCM. Its impacts can be relevant and long-lasting, but they are channelled in a less direct manner than, for example, the import regulations. The prohibition of an agrochemical to export pineapple to a certain market has a simple and tangible effect, and its drivers and outcomes are trivial. However, the motivators of change needed to valorise PAL, a valid alternative to agrochemical use, are less clear and its consequences are more dispersed throughout the system.

If we recall from the discussion on the definition of circular economy in section 3.1, circular (bio)economy is a complex term drawing from different sustainability concepts to construct its strategies. For example, the use of agrochemicals in the linear economy serves a purpose: to maximise profits and minimise other resources, such as water or labour. But the PAL valorisation, in its role as a CB solution, must meet more criteria, such as reducing waste (almost) completely and creating value-added products. If we consider the characteristics of CB in the agricultural sector, the PAL valorisation practices should also account for the regeneration and biodiversity of the ecosystem that surrounds it. The complexity of these strategies and their consequences on the system are reflected in the perception of stakeholders on the system under study.

At this point, we find it useful to try to answer the research questions defined in section 1.2. The initial question we proposed was *What are the cultural, financial, market-related, operational, and technological barriers preventing the valorisation of pineapple stubble in Costa Rica?* These barriers categories were tailored to the industry and country conditions, but they have similarities to those defined by Gottinger et al. (2020) and summarised in section 3.1. As these categories are commonly used when analysing the transition towards a circular bioeconomy, delineating our discussion around them can help make comparisons in future research.

First, we attempt to comment on the cultural aspects of the system described by the FCM. This falls into the category of *Sectoral Routines and Structures*. As we can see in fig. 3.5, stakeholders view the customs of the industry as an impediment to valorising PAL. The customs of the industry are the inherited practices that prevail in the industry, such as the use of agrochemicals, monoculture, and productivity maximisation. These practices degrade the environment and do not align with sustainable practices (Magdoff et al., 2000), which stakeholders try to communicate. More interesting is to note the notion they have about how company size, profitability, and customs are related. As explained by most stakeholders, the larger the company size, the larger the profits made; the larger the profits made, the more the customs

are reinforced. A systematic assessment of 118 studies explains that there is no conclusive evidence for a relationship between farm size and resource use efficiency, GHG emissions, or profit (Ricciardi et al., 2021). However, it has been observed that small and medium-sized pineapple producers in Costa Rica have progressively been replaced by corporate farmers, who also benefit from larger profits (Rodríguez Echavarría and Prunier, 2020b). Ultimately, the nature of the structure of the pineapple industry in Costa Rica—big corporations, monocropping, and productivity maximisation—incentivises less sustainable customs, which hinder the development of PAL valorisation as an alternative to current practices.

The technologies required to extract PAL from the field and transform it into value-added products are not fully developed. Therefore, funding research and testing is still essential to make progress in circular-oriented innovation. Stakeholders identified the size of the company as one of the factors that increase funding, as large corporations are generally more able to access international and domestic investment. We recognise that financial barriers to small- and medium-scale farmers to valorise are present, since they usually do not own machinery and cannot afford to invest in innovation. The large companies that are predominant in the industry have the means to invest in innovation. In fact, what seems striking from how stakeholders modelled the system is that there is no negative connection influencing funding. In this sense, we understand that the financial barrier is not related to access to funding per se, i.e., availability of funds, but to the mobilisation of investment resources. Although these considerations fall partially on the *Market and Investment Conditions* category of barriers, the need to coordinate how much of the available funding is allocated to innovation and who should provide such funds shifts the financial barrier into a collaboration barrier.

Each stakeholder—experts from the industry, the academia, and the government—has a different view about what roles each other should play in the PAL valorisation process and who should initiate the required change. In section 3.1, we mentioned that circular strategies require linking knowledge and stakeholders in a manner not previously employed in the linear economy. The complexity of CE strategies and the dispersion of knowledge among stakeholders drive interdependence if there is alignment between motivations. Testing at scale the different PAL valorisation options is still rare. Collaboration in this respect is necessary to share the potential risks and costs. Here, we recall the study by Brown et al. (2019), which tells us that there is a contradiction of companies wanting to share but also protect knowledge. Putting business models into action can only happen if companies get out of the experimental phase. To achieve this, stakeholders must acknowledge that the complexity of CB strategies requires collaboration in technical and business model innovation. Risk-averse attitudes are a common obstacle to transitioning towards CB, as corroborated in the interviews. Stakeholders usually disagree on who should provide the required funds and take on the business risk. There is no consensus on who should be the initial investor and what the role of the government should be

to channel funds. It is evident that most actors seem reluctant to take the first step without a clearer prospect of the results of the transition. The lack of collaboration and the risk-averse attitude reinforce each other and create a combination of *Knowledge and Network* and *Sectoral Routines and Structures* barriers.

The technological barriers that prevent PAL valorisation are closely related to operational barriers. As Gottinger et al. (2020) indicate, the barriers category *Technology and Materials* encompass difficulties in obtaining input material, missing physical infrastructure, and technical barriers related to production and industrial application. From the FCM connections, the uneven terrain commonly present in pineapple fields is an operational barrier to extracting PAL from the field efficiently. Rainfall is another factor that, coupled with the uneven terrain, makes it very difficult to manoeuvre large machinery in the field. Different types of machinery have been tested, and others have been specifically made to extract PAL mechanically. However, to this day there is no machine that can extract PAL without additional human labour in Costa Rica. As regards the valorisation options, there are several technologies to make value-added products. However, as stakeholders commonly mention, the difficulties to obtain input material to conduct large-scale projects is a barrier to the transition. Due to these operational barriers and the aversion to business risk mentioned above, valorisation research projects do not take place at a sufficiently large scale to extrapolate the results. This combination of technological and cultural barriers is easily understood by producers and people working closely with the logistical aspects of the business, but it can be less frequently identified by researchers and policymakers.

The barriers identified by the stakeholders and modelled in the FCM give us an idea of what is preventing the valorisation of PAL from taking off. It is then natural to ask *What is needed to overcome these barriers? Whose action is required?* In section 3.3.1, we mentioned that the connection between collaboration/communication and innovation has the lowest entropy, indicating that the actors agree strongly with its weight. When analysing how interventions to drivers alter outcome variables, it is clear how the presence of government can positively influence collaboration and communication in the industry. This relation was identified primarily by pineapple producers, who see government agencies as an intermediary capable of coordinating efforts from the industry, international organisations and research institutions. It is interesting that, although some experts identified *Policy and Regulation* barriers, such as lack of technology-push policies, most of them perceive public agencies as potential drivers of change. However, from the government's side, agencies of the Ministry of Agriculture are concerned with problems caused by the stable fly and stubble management practices. Thus, their coordination efforts are related to this matter and not directly focused on PAL valorisation, which is seen as just another stubble management alternative. Furthermore, although stakeholders see the government as the necessary mediator, they acknowledge their lack of resources

to monitor and lead a transformation in the industry structure.

Another relevant concept affecting collaboration and communication in the FCM is the transparency/openness of the industry. This is one of the selected drivers to simulate an intervention in the system, but its effect on the outcome variables is negligible. However, the simple idea that transparency about supply chains and openness of companies can help reduce environmental impacts is widely accepted (Kashmanian, 2017; Jahansoozi, 2006). The reason this concept is closely connected to collaboration/communication in the context of PAL valorisation is the prevention of duplicated efforts to find solutions. As discussed in section 3.1, there is a contradiction of companies wanting to share but also protect knowledge. If companies are open not only about their practices but also about their findings and innovations, collaboration is magnified to accelerate progress towards a common solution.

At first glance, *Research* may be an overlooked concept in the FCM diagram, as it is not connected to many other factors. As observed in the interviews, the subject of PAL valorisation has been conducted predominantly in academia, with few companies investing in experiments. As documented in chapter 2, universities, usually from pineapple-producing countries, have done extensive research on the properties of PAL to assess the valorisation options. However, less research has focused on the operational and socioeconomic aspects of the process needed to valorise PAL at a large scale. Since access to machinery and land is limited to a few stakeholders, research on the engineering challenges in extracting PAL from the field is scarce. The producers who participated in the study mentioned the importance of academia in bringing about innovation and stressed the importance of working in collaboration with universities and other research institutions to carry out PAL valorisation projects. For researchers, as important as collaboration is access to funding. The only factor influencing *Research* in the FCM is *Funding*, which is a shared concern among researchers. In this sense, it is of the utmost importance to facilitate collaboration between researchers and companies with sufficient capital to undertake projects at a large scale. With the necessary funds and access to the industry resources, more practical research can be conducted. This would eliminate barriers in two groups, namely *Market and Investment Conditions* and *Technology and Material*. Additionally, knowledge from engineering companies and industries with supply chains similar to those of the pineapple can help advance the development of pragmatic solutions to extract PAL from the field. Finally, partnerships with aid agencies and environmental organisations interested in participating in the development of sustainability programmes can take over those tasks that government agencies cannot fulfil. If stakeholders collaborate and effectively distribute their responsibilities among themselves, progress towards the integration of PAL valorisation processes in the pineapple supply chain can start.

After analysing the barriers to PAL valorisation and the actions needed to overcome them,

one last question emerges: *What are the benefits and challenges of valorising the stubble?*. Most of the benefits of PAL valorisation were mentioned by all stakeholders. We find it interesting that, as shown in section A1.3, the entropy of *PAL valorisation* to *Use of agrochemicals*, to *Stable fly*, and to *Profitability of pineapple producers* is relatively high. Let us analyse these three connections. First, because agrochemicals are not only used for stubble management but also to control pests, produce artificial ripening, and enhance fruit size, stakeholders view the potential of PAL valorisation to reduce agrochemicals as limited. However, any reduction in agrochemical use due to the valorisation of PAL is beneficial for the environment, as it reduces water, soil, and air pollution. More surprising is the large disagreement on the effect of PAL valorisation on the presence of the stable fly. The fly reproduces in the decomposing pineapple stubble after harvest. If the PAL is extracted and the remaining low-volume stubble is incorporated into the soil, the probability of stable fly reproduction is reduced significantly. Stable fly reduction is beneficial to several stakeholders in the system, including pineapple producers, ranchers, and communities that live close to the fields. Thus, a better understanding of the disagreement on its connection to PAL valorisation is needed.

The third factor influenced by the valorisation of PAL with a large entropy is the profitability of pineapple producers. This connection occurs for three reasons: pineapple producers who take part in the PAL valorisation business can obtain additional profits; if the extraction of PAL benefits from economies of scale, its costs can eventually become lower than those of the current stubble management practices; freeing the fields from stubble allows pineapple producers to start the next plantation earlier, which translates into larger economic benefits. The latter consequence is also represented by the connection between *PAL valorisation* and *Land availability*. This connection is unquestionable, as shown by its low entropy. Because this contradicts the large entropy of PAL valorisation to the profitability of pineapple producers and because of the clear benefits explained above, we venture to conclude that some stakeholders do not identify all the economic benefits associated with PAL extraction and valorisation. In this sense, information campaigns on the benefits of PAL valorisation can increase the awareness of producers about this matter. The last benefit identified by stakeholders, the sustainability of the industry, has relatively low entropy. Despite disagreements on the specific effects of PAL valorisation on different concepts, experts agree on the general idea that it can increase sustainability.

When we think of the challenges to valorise PAL systematically, we immediately think of the title of this chapter. Harvesting The Fruits of Uncertainty refers to the complexity and fuzziness of the problem under study, but also to its challenges and possibilities. To clarify, by challenges we refer to milestones that need to be achieved, and, in a way, they provide a more positive perspective than barriers. Overcoming or adapting to uncertainty is perhaps one of the biggest challenges we identify in the study, which is translated into the concept

Business risk in the FCM. Stakeholders recognise the unpredictability of the market demand for bio-based products as one of the main challenges to investing in solutions. An increase in green consumerism can reduce uncertainty, as has been modelled in the FCM and represented in fig. 3.8b, but more market research in this area is needed to incentivise investment in PAL-valorisation solutions. Similarly, the introduction and changes in standards and regulations related to bio-based products, biofuels, and bioenergy that innovators must comply with make valorisation ventures less attractive. In this sense, we expect that efforts to identify market demand and applicable regulations will provide clearer prospects for investors on the potential of PAL-based products. Another clear challenge is to attain a collaborative network of producers, researchers, government agencies, and investors that exchange knowledge and share risks and successes. We mentioned the barriers and benefits of collaboration. The challenge is for every actor in the system should CE objectives be attained. Perhaps if researchers and producers manage to increase motivation and change the culture in the industry, societal transformations through larger-scale collaborations will take off. Finally, it is worth mentioning a more technical challenge, the consequences of stubble extraction on soil fertility, which have not been quantified as of now. Stubble generates several environmental problems when managed in the field, but it also provides nutrients to the soil when incorporated into it. As PAL starts to be extracted, soil fertility can be reduced, affecting farmer productivity. If it turns out that the effects of systematic extraction are significant, pineapple producers will have to find solutions that do not require the additional use of agrochemicals.

3.4 Conclusion, Limitations, and Recommendations

In this chapter, we have discussed the theories on the transition towards a circular (bio)economy (CB) and on Circular-Oriented Innovation (COI) relevant to the subject of Pineapple Leaves (PAL) valorisation. By means of the Fuzzy Cognitive Mapping (FCM) method, we structured and elicited the knowledge gathered through interviews with stakeholders in or collaborating with the pineapple industry in Costa Rica. Our results show that advances in PAL valorisation are slow and have not developed significantly in the last two decades, since the pineapple industry started to grow rapidly.

The study of the system helped us to obtain some interesting results. First, we observe that stakeholders perceive that greater government involvement and industry transparency would improve collaboration, but it would not significantly reduce pollution. Only regulations imposed by importing countries and green consumerism can change the behaviour of producers and, consequently, the level of pollution. It is also relevant to remark on the little effect increase that mixed policy interventions have on the receiver concepts as compared to their single counterparts.

PAL valorisation, in its role as a CB solution, must meet more criteria than innovative solutions in the linear economy. Producing an added-value product while closing loops and protecting biodiversity in agricultural fields creates a relevant challenge to make the transition towards a systematic PAL valorisation. The main cultural barriers that fall into the *Sectoral Routines and Structures* category relate to the unsustainable practices that prevail in the industry, such as agrochemicals, monoculture and productivity maximisation. Regarding financial barriers, it was identified that funding for research and testing is still essential to make progress in circular-oriented innovation. However, more important seem to be the barriers related to collaboration, as there is no consensus on who should lead the experimentation phase and who should allocate funds to it. The lack of collaboration and the risk-averse attitude reinforce each in the system.

Rain and the uneven and difficult terrain characteristic of the area were determined as operational and technological barriers. These barriers make the development of machinery capable of extracting large quantities of PAL a challenge. Consequently, input material cannot be obtained to conduct large-scale experiments. Coupled with risk aversion, these technological barriers prevent progress in innovation.

Most stakeholders view government agencies as potential drivers of change, instead of generators of barriers. They also agree on the needed increase in transparency and openness from pineapple producers and innovators. This would help transfer knowledge, avoid duplication of efforts, and share risks. Companies show a contradiction in their desire to collaborate in this sense. Additionally, we find that research is seen as a relevant actor in driving circular-oriented innovation, but more research is needed focused on the operational and socioeconomic aspects of the process needed to valorise PAL on a large scale. Access to funding and input material is key in this regard.

The reduction of the stable fly as a benefit of valorising PAL is contested by some interviewees. More research on this disagreement would be useful to understand its causes. Another benefit identified is the reduction in agrochemicals, which is limited due to their use in other pineapple production processes. Finally, although the transition to a CB in the pineapple sector would bring greater profits to investors, this is not acknowledged by all stakeholders. Therefore, we argue that it is needed to raise awareness of these benefits to motivate potential investors.

Our results emphasise the early stage of development in which PAL valorisation in Costa Rica is at. However, the theories on COI help us illustrate that the barriers faced by the industry are common in CB transitions. As recommended by Blomsma et al. (2022), we conclude that it would be useful to take a sufficiently long time horizon to understand circular phenomena in the PAL valorisation industry in Costa Rica. Periodic analyses by researchers to compare the evolution of the transition can shed light on features that are not identified in a one-

time study. Regarding stakeholders and policymakers, we recommend looking at challenges that can be completed instead of barriers that may not be overcome. Market research and a better understanding of the regulations pertaining to PAL-based solutions would provide clearer opportunities. Additionally, every actor in the system has the responsibility to connect with each other and create tighter and stronger collaborative networks. The transition towards a CB in the agricultural sector is not a one-day or one-person effort, but a collection of milestones achieved by collaboration throughout time.

Finally, we find it relevant to mention several limitations and considerations of the study. The use of interviews is useful to understand the subject under study in depth, but limits the extent to which results from the analysis can be extrapolated. In some cases, the results are corroborated by the literature and theory, but sometimes they are distinctive of the area under study. Regarding the use of FCM to elicit knowledge, although stakeholders create connections, the researcher ultimately decides how the map is constructed. In this sense, it is important to pay attention to potential biases and errors that may arise in the modelling process. For example, missing connections that are true by construction but were not mentioned in the interviews were later identified, such as the negative influence of *Agrochemical use* on *Stable fly*. In this sense, we recommend that researchers complement the interviews with a literature review to add essential connections to the system, as in Edwards and Kok (2021). Aside from these considerations, we find the FCM method useful for organising and identifying fuzzy knowledge, especially in the case of unexplored or developing phenomena.

The collection of information in two stages, using one-to-one interviews and an online questionnaire, proved relatively inefficient, with a low response rate in the latter. We believe this is related to stakeholders in the agricultural sector being used to working outdoors and with dynamic routines. Moreover, aggregating contrary views and simplifying a qualitatively modelled complex system can be a challenge for the researcher. In this sense, we recommend using in-person workshops to motivate participation and reach agreements about complex connections. Finally, a clear bias in the information collection is the selection of interviewees, as these were selected because of their relation to PAL valorisation activities. If we were to interview pineapple producers who are not aware of this CB solution, we would perhaps gather fewer information, but also very useful and valid viewpoints. Finally, as more is understood about the structure of the PAL valorisation industry in Costa Rica, the use of a theoretical framework focused on circular bioeconomy transitions, such as the TIS, can prove useful in carrying out periodic studies that can track progress throughout time in an organised manner.

THE PINEAPPLE LEAVES ROUTE

As discussed in chapter 3, although small-scale projects of Pineapple Leaves (PAL) valorisation have been conducted, it is not clear how an industrial-scale valorisation process would be carried out operationally. Minimising costs in the valorisation process is paramount should PAL-based products compete with conventional, fossil-fuel-based products. The process of valorising PAL can be divided into three main stages: extraction, transportation, and material transformation. In this chapter, we focus on the last two by developing a Facility Location Problem in which we try to locate and minimise the optimal number of material transformation facilities conditional on the location of pineapple fields in Costa Rica, the costs of transporting biomass (PAL), and the costs of opening and operating a hypothetical PAL valorisation facility.

4.1 Facility Location Problem

The Facility Location Problem (FLP) is an optimisation problem that determines the best location for the facilities to be placed based on the costs of the facility, geographic demands and transportation distances. The results drawn from an FLP are critical in strategic planning for private and public entities. Due to the high costs of property acquisition and facility construction, facility location decisions are long-term strategic investments. FLP became relevant due to the industrial revolution, as the development of rail transport, energy, and urban growth offered more options to distribute firms and their operations. Alfred Weber first developed a theory of location problems with his publication *Über den Standort der Industrie* (Theory of the Location of Industries) in 1909, in which he modelled an optimal location and minimal cost for manufacturing plants taking into account several spatial factors (Fearon, 2006). Since the 1960s, when Hakimi published his work on an FLP for switching centres in a communication network and police stations in a highway system, there have been numerous studies on different

types of FLP (Farahani and Hekmatfar, 2009).

Location problems consist of four main components: existing demand points, some facilities that are supposed to serve the demand points, a feasible solution space in which the demand points and facilities are dispersed, and a measurement criterion that explains distances (e.g., time or cost) between facilities. Although there are many versions of the FLP applied to different types of problem, they are all comprised of an objective function and a set of constraints. The many ways in which FLP can be categorised are explained by Wolf (2022). First, we can consider private- and public-sector location problems. In the former, the objective functions are profit maximisation or cost minimisation, while the public sector problems also consider nonmonetary costs and benefits, such as environmental costs when locating hazardous waste repositories or the value of saved lives when establishing emergency centres.

The second classification is planar versus network location problems: In planar FLP, the locations of a finite number of demand points and of the optimal facilities may be dispersed everywhere in the Euclidean plane. On the contrary, network location problems are defined on networks composed of nodes and edges. Almost all network location problems assume that the demand and facility points coincide with the vertices of a network and that transport occurs only along the edges of this network. The weights assigned to the edges can specify not only distances but also travel times or transportation cost. These terms might remind us of chapter 3, in which we modelled a Fuzzy Cognitive Map (FCM) composed of concepts (nodes) that affect each other through the weighted edges of a network. In the FLP, we study a different problem, but it is still interesting to highlight how graph theory is used in a wide range of applications (Papageorgiou et al., 2003; Seppänen and Moore, 1970). Both planar and network FLP can be continuous, meaning that the generation of feasible sites is left to the model at hand, or discrete space problems, in which facility candidates are selected a priori. Even when problems are continuous by nature, most of the results in the literature are discretised.

FLP can also be categorised into capacitated or uncapacitated problems. Capacitated facilities have a constrained capacity to serve demand sites, while uncapacitated facilities are unrestricted. A fourth relevant classification of FLP is when we consider solving for desirable or undesirable facilities. Most problems locate desirable facilities, such as warehouses, service centres, or hospitals as close as possible to the demand points. On the contrary, when dealing with undesirable facilities, such as landfills, polluting plants, etc., the objective function of the FLP is to maximise the weighted distance function between the facilities and the served demand points. Finally, we consider the classification of FLP by the number of facilities to be located. When the number of facilities is specified exogenously, the problem can be either single or multi-facility. On the contrary, FLP can also be defined with an output parameter of the number of facilities to be optimised. It is important to note that the number of facilities

influences the execution time of any algorithm. In complexity theory, the general problem of locating optimal facilities in a network is NP-hard. NP, which stands for non-deterministic polynomial, is a set of problems whose solutions can be verified in polynomial time. Yet, it is unknown whether NP-hard problems have an algorithm for finding the solution in polynomial time; this question is known as the P versus NP problem. NP-hard problems are at least as hard as the hardest problems in NP and are considered to be some of the most difficult problems to solve using algorithms Kokash (2005); Cooper (1963).

In operations research, as well as in other fields, optimisation problems are defined as NP-hard problems. A few decades ago, only problems small enough (e.g., Sridharan (1995) indicate 50 facilities and 50 demand points) could be handled using exact mathematical methods. Thus, researchers came up with heuristic and metaheuristic methods, which are approximation methods that can find a good enough solution in a reasonable time. Heuristic methods are usually defined for the particular problem it seeks to solve and can become insufficient for other problems. Metaheuristic methods, on the contrary, are generic, problem-independent algorithms that can be adapted to almost all optimisation problems. Exact methods find the optimal solution, but they can be computationally intensive and impractical for large problems. (Meta)heuristic methods, on the other hand, overcome the NP-hardness of the optimisation problems by finding a good enough solution quickly and efficiently but may not guarantee an optimal solution. The most common metaheuristic methods are simulated annealing, tabu search, genetic algorithm, variable neighbourhood search, and ant systems. All of these are designed to decrease the probability of falling in local optimal (Abdel-Basset et al., 2018). Optimisation solvers and hardware have become much faster in the last two decades, and now it is less common to require complicated (meta)heuristic models Bixby (2015).

The use of FLP for waste management and waste valorisation and biomass conversion is common in the literature. The linear economy and the throwaway culture led to an increase in waste generation. Consequently, the disposal of waste has become a relevant problem throughout the world. Operations research provides the tools needed to optimise waste disposal and minimise the costs and environmental degradation caused by waste management. Adeleke and Olukanni (2020) provides a good summary of the existing FLP models and optimisation techniques and their application to solid waste management problems. Most studies focus on the treatment of municipal, industrial, healthcare, and hazardous waste. As waste can have more than one disposal site, it is important to consider other facilities associated with collection sites, such as recycling centres and landfills. This also applies when implementing residue valorisation processes. Hu et al. (2017) developed a facility location model that minimises government spending and environmental adverse effects in the location of waste-to-energy facilities. Another good example of an FLP that takes environmental costs into account is the study of waste collection in China by Wu et al. (2020), which considers greenhouse gas emission costs and conventional

waste management costs. Athira et al. (2020) used a location-allocation analysis to optimise the location of new cement plants based on the availability of sugarcane bagasse ash produced in the sugar industry, which can serve as a supplementary and partial alternative to cementitious material. Guerrero et al. (2016) assessed the use of banana crop residues in the generation of bioethanol and identified two optimal locations for energy conversion facilities in Ecuador, a major banana producer country. Another example of a biorefinery location optimisation is the study by Duarte et al. (2014), who applied a mixed-integer linear programming formulation to locate a second-generation bioethanol plant fed with coffee cut stems in Colombia. Nordin et al. (2022) conducted a study of the cost-effective localisation of ethanol production facilities in Sweden and concluded that feedstock costs are the most important factor in determining location, followed by high feedstock density. More importantly, at higher production, feedstock from the whole country is preferred despite high transport costs. A complex multi-objective optimisation model was developed taking into account financial costs and CO₂ emissions Harris et al. (2014). Here we comment on relevant studies for the following discussion, but there are many more examples of different types of FLP applied to waste management and valorisation solutions (Bojic et al., 2018; Harris et al., 2009; Kocoloski et al., 2011; Wetterlund et al., 2012).

4.2 Case study description


Following the different types of categorisation described above, we describe the present FLP as a private sector, network-dependent, capacitated, desirable, and multi-facility problem. We apply a simple Capacitated Plant Location Problem (CPLP) with a single echelon (one distribution network level) to a scenario of PAL-based biogas production in Costa Rica. As described in chapter 2, the pineapple crop residues can be used to produce several biobased materials and second-generation biofuels. Because none of the described processes has been implemented on a large scale, there is no information on the production capacity and costs of a candidate processing facility. Thus, we use estimates based on previous experiments from Costa Rica and data from similar cases. We have selected biogas plants as the proposed solution for several reasons. The production of biobased materials, although promising, is still in a technologically early stage, and data on the possible costs and production capacity is scarce. Moreover, it is relevant to consider that the production of biobased materials would provide a partial solution, but a considerable part of the PAL would have to be further processed. The production of bioethanol is perhaps the most effective solution to minimise residues and process large amounts of PAL, but the costs associated with opening and operating a biorefinery for bioethanol production require large investments, which can only be plausible in a scenario of high cooperation between stakeholders or involvement of the government. As discussed in chapter 3, such a scenario is not present today. The technology of biogas plants is well developed, and their capacities allow

for larger amounts of PAL than other solutions, making their investment cost-effective for a pineapple producer. It should be noted that the scenario described here is based on the available technology and the current situation of the social dynamic pertaining to the pineapple sector in Costa Rica. Should more efficient solutions become available, including multi-product solutions, the FLP modelled in this study can be adjusted to generate new optimal solutions.

Let us now describe the study area in Costa Rica. The United Nations Development Programme (UNDP), the Ministry of Environment and Energy (MINAE), and the National Centre for Geoenvironmental Information (CENIGA) carry out a monitoring of the changes in pineapple crops and their consequences on forest cover using satellite data. They indicate that the average accuracy of the layers is 99.5%. The latest available data is for 2019 SNIT (2019). We use the data collected by these organisations to determine the location and amount of available PAL in the country.

In fig. 4.1, the 65,451 hectares of pineapple crops in Costa Rica as of 2019 are depicted. 870 hectares (1.32% of the total) are located in the west of the country, specifically in Judas, Puntarenas province. 8072 hectares (12.33% of the total) are clustered in the south, between Potrero Grande and San Isidro de El General. The remaining 59,529 (86% of the total) of pineapple hectares are located in the northeast of the country, in the regions Huetar Norte and Huetar Caribe. Including crops located in the south and west of the country would hinder the FLP analysis as the area in which the candidate location can be located would be much larger. Since the percentage of PAL in those regions is not large, we narrow the selection and carry out the analysis for the crops located in the north-east of Costa Rica, specifically in the bounding box -85.07, -81.5, 10.09, 11.04 (west, east, south, north).

Figure 4.1: Pineapple crops in Costa Rica. The crops in the northeast are coloured green and the crops in the west and south are coloured blue.



4.3 Model description

The CPLP, as described in Farahani and Hekmatfar (2009), is formulated as a mixed-integer linear programming model of the following form:

$$\text{Min} \sum_{i \in U} \sum_{j \in V} c_{ij} x_{ij} + \sum f_i y_i, \quad (4.1)$$

subject to:

$$\sum_{j \in V} d_j x_{ij} \leq q_i y_i \quad (4.2)$$

$$x_{ij} \geq 0 \quad (4.3)$$

$$y_i \in \{0, 1\}, \quad (4.4)$$

where:

U: The set of potential facilities,

V: The set of PAL source points (pineapple fields),

d_j : The PAL supply of the farm j ,

q_i : The capacity of the facility i ,

c_{ij} : The cost of transporting all the PAL supply from the farm j to the facility i ,

f_i : The fixed cost associated with opening the facility i ,

y_i : A binary decision variable that takes the value 1 if the facility i is open and 0 otherwise,

x_{ij} : A continuous decision variable, corresponding to the fraction of the PAL supply j absorbed by the facility i .

The objective function attempts to minimise the total cost of opening and operating a processing facility. This is described in eq. (4.1) as the sum of the cost of opening the facilities and the cost related to processing the supply of PAL. eq. (4.2) states that no farm can ship to a closed facility and that the total PAL supplied from each farm does not exceed the capacity of the facility. Ultimately, the total cost measures the trade-off between the cost of building a new facility and the total cost of transportation.

4.4 Material

4.4.1 Source of PAL

Pineapple crops in Costa Rica are harvested on average every two years. One hectare produces around 65,000 pineapple plants, from which 2.5 kg of usable PAL can be extracted per plant, i.e., 162.5 tonnes of PAL per hectare. Therefore, for the northeastern region of Costa Rica, the total amount of PAL available every year is around 4,836,731.25 tonnes (59,529 ha \times 162.5 t)/2 years). The data provided by SNIT includes 2925 polygons in which the 59,529 hectares are


located. The summary statistics of the polygons' area in hectares are shown in section 4.4.1. As can be observed, most polygons have between 3 and 19 hectares.

Table 4.1: Summary statistics of polygons containing 59,529 pineapple hectares in the northeast of Costa Rica. Units are hectares

Hectares	2925.00
mean	19.32
std	44.67
min	0.50
25%	2.43
50%	6.08
75%	18.49
max	677.84

To use the location and quantity of available PAL for FLP, we use the OSMnx package developed by Boeing (2017). To simplify FLP calculations, we first determine the centroid of all polygons and snap them to the nearest node in the drivable street network of the country. The distance from the centroids to the nearest nodes is stored for further calculations related to the costs. Since some polygons share a common node, the final number of nodes (1,166) is less than the number of polygons. An example of a centroid and its nearest node in the network is depicted in fig. 4.2. The centroids of all polygons and their nearest corresponding nodes are shown in fig. 4.3.

Figure 4.2: Example of a pineapple field polygon centroid snapped to the network at lat = 10.476319, lon = -84.278967




(a) Centroid (blue) and the nearest node in the network (red)



(b) Satellite image corresponding to the polygon surroundings. *Source: terrascope.be*

Figure 4.3: PAL fields centroids and nearest nodes. Centroids are coloured blue, and their nearest nodes are coloured red.



4.4.2 Processing costs

The capacity of the facilities, q_i , and the costs of setting up a new facility, f_i , are estimated using the following data. As mentioned above, we estimate a supply of 4,836,731.25 tonnes of biomass (PAL) per year. Agricultural biogas plants usually have between 100 and 300 kW of power capacity, while industrial units exceed 1,000 kW. For the optimisation, we estimate costs based on 1,000 kW (1 MW) plants due to the important role economies of scale can play (Walla and Schneeberger, 2008; Piñas et al., 2019). Working at full capacity and with a power factor of 0.8, a 1 MW plant can generate 8,760 MWh per year ($0.8 \cdot 1\text{MW} \cdot 24\text{h} \cdot 365\text{d}$). Assuming that each m^3 of biogas generates approximately 2 kWh of useable electricity (Uddin et al., 2016; Suhartini et al., 2019; Centre, 2012), each plant must produce 4,380,000 m^3 of biogas per year. With a conversion of 25.7 m^3 per tonne of PAL (Arce et al., 2014), each facility would require 170,428 tonnes (1050 hectares) of PAL each year, or 467 tonnes (3 hectares) every day.

Capital and operating costs for a biogas plant depend on many factors, and empirical data are not available for the type of plant described in this study. Therefore, for the type of process described above, we provide an estimated range based on an extrapolation from a 250 kW, 137 t d^{-1} biogas plant built in 2012 in Costa Rica (Linnenberg et al., 2012), average costs provided by the IEA and other sources (Salerno et al., 2017; Obileke et al., 2022; Jiguan, 2019; Gráfica,

2023; ICE, 2022; Walla and Schneeberger, 2008). We estimate that the economic lifespan of each biogas plant is 15 years, the capital costs to be between \$2 and \$4 million, and the annual operating costs to be between \$250 and \$450 thousand. table 4.2 depicts a summary of these estimates.

Table 4.2: Estimates for the biogas plant in the optimisation


Generator capacity	1 MW
Electricity generation	8,760 MWh/yr
Biogas production	4,380,000 m ³ /yr
PAL processed	170,428 t/yr
Capital costs	\$2 to \$4 MM
Operating costs	\$250 to \$450 M/yr
Facility lifespan	15 years

When deciding the available and suitable locations to place candidate facilities, the criteria present in the literature are varied and, on some occasions, arbitrarily defined. For example, Jeong et al. (2019), who developed a supply chain optimisation model for camelina oil-derived biodiesel, selected county centroids as supply sites and also as candidate sites for the construction of new plants. Caballero et al. (2007) selected candidate facility locations for residual processing plants based, for example, on unemployment rates and the centrality of the towns within the region. Delivand et al. (2015) implement well-defined criteria to select candidate facilities that consider planning rules, facility accessibility, and feedstock availability. We find the planning rules particularly relevant and useful when determining candidate facility locations.

Planning rules, also called zoning, are detailed rules on how a certain plot of land or area can be used. A famous example of zoning resolution is that of New York, adopted in 1916 to resolve the issue of property disputes about the height and size of buildings in business areas (Weiss, 1992). In Costa Rica, the zoning regulations are managed by the cantons (INVU, 2018). According to the INVU, 40 of the 82 cantons in the country have implemented a zoning regulation. However, most cantons do not publish spatial zoning maps showing which plots of land correspond to the different land uses, and only an official journal establishing the zoning regulations is publicly available. To our knowledge, only the San Carlos canton has developed a map of the zoning plan for the city of Quesada, as shown in fig. 4.4.


In the case of the city of Quesada, defining potential processing facilities would be straightforward, as these are restricted to industrial zones. Since this type of data is not available for the rest of the country, it is not possible to implement criteria defined by zoning regulations in our FLP. Nevertheless, optimal locations determined by the algorithm can be used as a reference to locate the nearest available and suitable plots of land on a case-by-case basis. Following

Figure 4.4: Zoning regulation applicable to the city of Quesada. Industrial zones coloured green.
Source: (IDESCA, 2021)



Delivand et al., we can at least restrict candidates to accessible locations using the country’s road network to choose locations that are accessible by road and that do not fall within protected areas. Therefore, we generated 500 random candidate locations distributed along the street network inside the bounding box of the study area. The method of using network nodes as candidate facilities has been implemented before (e.g., see Zhao et al. (2015)). The generation of random nodes in the network, rather than generating an evenly spaced grid in (decimal) degrees, accounts for the geometry of the graph and guarantees uniform randomness Boeing (2017). The candidates selected for the optimisation are shown in fig. 4.5.

Figure 4.5: Facility candidates randomly generated over the street network.



4.4.3 Transportation costs

As with biogas plants, costs of transportation depend on many factors, and there are no easily accessible data. We estimate, based on several grey literature (KiM, 2020; Central America Data, 2023; COMEX, 2023), a cost between \$0.20 and \$0.35 tonne-kilometre. We can also make an estimate by calculating the fuel price per kilometre. The fuel consumption of a typical Class 5, medium duty truck used to transport produce in Costa Rica (e.g., Isuzu N-Series with a load capacity of 7-9 tonnes), which is the range of 25-30 l/100 km. The price of fuel is currently ₡750 (\$ 1.40) L⁻¹ (RECOPE, 2023). This translates to a fuel cost of \$0.35 km⁻¹. This cost does not include any of the other transport-associated costs, such as fixed (e.g., investment costs, insurance) and variable costs (e.g., maintenance), staff costs, and operating costs. Thus, we believe that the estimate of \$0.20 - \$0.35 tonne-kilometre to be plausible. Finally, we should note that we do not consider chargeable weight (1 m³ = 333 kg for road transport) a problem since the proposed solution implies shredding the PAL at the farm, which reduces the volume to a manageable level. The transport costs, c_{ij} , are then determined by:

$$c_{ij} = p_{tkm} \cdot \sum_{\substack{i \in U \\ j \in V}} k_{ij} d_j \quad (4.5)$$

,

where p_{tkm} is the cost per tonne-kilometre and k_{ij} is the distance from the farm j to the facility i .


Although it is common in location problems to use the Euclidean distance to calculate

distances, the difference between using the road distance and the Euclidean distance is high in some cases (Pittayarugsarit and Song, 2019). For this reason, we decided to calculate road distances by using the edges of the road network.

4.5 Results

For the baseline results, we set the facility set-up costs to 3 MM (for a 15 years plant) and the annual operating costs to 350 M. Transportation costs were set at 0.275 tkm. The results obtained from the model consist of the number (30) and locations of biogas plant facilities, and the flows of biomass (PAL) supply from pineapple fields to the facilities. The total cost of the optimal solution is \$30,083,928, from which 16.5 MM are attributed to biogas facilities and 13,6 MM are attributed to transportation. This solution implies processing all the biomass (PAL), 4.9 MM tonnes, produced in the country each year. A map showing the optimal facilities location distribution is depicted in fig. 4.6. Due to the uncertainty of costs of both facilities and transportation, we analyse the effects of changes in set-up costs and transportation costs and show the different scenarios in the following section. The exact location and the set of facility-field combinations are provided in a CSV file. The MIP model was programmed in Python and solved using the Gurobi Optimiser version 10.0.1. More details can be found in section A2.

Figure 4.6: Spatial representation of the optimal solution for the FLP of biogas plants in Costa Rica



4.5.1 Sensitivity analysis

We analyse the effect of different cost scenarios on the optimal number of locations. Since the facilities have a maximum capacity, there is a minimum number required to accommodate the

entire supply of PAL. As can be seen in table 4.3, the number of facilities varies depending on the different costs associated with transportation and facility setup. In scenarios with high transportation costs and small facility set-up costs, more facilities are open to minimise distances and costs of transportation. The number of facilities ranges between 28 and 34 and the total cost is between 24.5 and 38.3 MM.

Table 4.3: Scenarios for the FLP problem. Total annual costs (MM) & Number of Facilities in parentheses.

		Transport costs (tkm)		
		0.20	0.275	0.35
Facility set-up costs in \$ MM	2	(24.5; 28)	(28.3; 30)	(34.9; 34)
	3	(26.2; 28)	(30.1; 30)	(36.5; 28)
	4	(28.0; 28)	(31.9; 28)	(38.3; 28)

4.6 Discussion

Once the capacity of the plants has been decided, it is trivial to determine the minimum number of facilities needed to process the available PAL in Costa Rica. More interesting is to see how distances and, consequently, the costs of transportation affect the optimal number of facilities in the optimum. In this sense, the location of the supply points is the most important factor in our capacitated FLP problem. In the scenarios with more, less-supplied facilities, the total cost is probably overestimated because the set-up costs are considered for a 1 MW facility, which in such scenarios would not be needed. Nevertheless, the difference should be relatively small considering the small range in the number of opened facilities and the economies of scale attributed to their construction.

The total costs of the FLP, although based on estimates, provide us with a useful visualisation of the benefits an applied solution might bring. If we consider that the total cost to manage the stubble in the field (at least \$1000 per hectare Hernández-Chaverri and Barragán (2018)) is similar to the average cost shown in table 4.3, the valorisation of PAL through biogas production does not imply a larger investment in the long term. Additionally, if we consider that the 250,000 MWh of electricity generated from the facilities provide revenues of around \$30 MM (electricity is currently sold at \$0.12 ¢66.37) per kWh ICE (2023)) and that the extraction of PAL from the fields allows for faster pineapple production cycles, the valorisation scenario becomes economically reasonable and attractive. Finally, environmental costs should be considered.

The simplicity of our model allows for new data to be incorporated easily and we expect the model to help in the decision-making process should facilities be built. In this sense, it is relevant

to note that, by designing the type of solution described here, we idealise a collective and total solution which takes care of all the supply of PAL in Costa Rica. If pineapple producers were to implement this arrangement, partnerships would be needed to find a cost-effective solution. Considering that cooperatives are common in the pineapple industry, we consider this arrangement plausible. Another scenario we consider is that of an external company setting up a supply chain to collect, transport, and process the PAL. In such a case, an arrangement similar to that of municipal solid waste can be considered, with benefits for both pineapple producers and biogas producers.

The FLP has many variants, allowing for the modelling of different situations with different objective functions and constraints. The simple model shown here provides a solution for a tailored capacitated, multi-facility problem. Ideally, the model would optimise not only the number and location of a given type of capacitated facility, but also the optimal capacity of the facilities accounting for economies of scale, i.e., for the different costs associated with processing one extra tonne of PAL in a facility with given fixed and variable costs. Two examples of this type of FLP can be found in Wetterlund et al. (2012); Nordin et al. (2022). This type of FLP can provide more precise solutions which might involve building facilities of different sizes throughout the network, and its implementation is recommended.

4.6.1 Extension of the model

Cost minimisation is at the core of any operational challenge a company might face. FLP is a useful tool for stakeholders to consider options before making large, long-term investments. As exemplified in section 4.1, FLP has expanded to incorporate environmental costs. When there is more than one objective to minimise, the FLP becomes a multi-objective MIP, which increases the complexity of the optimisation. The formulation of an environmental costs minimisation function is analogous to the economic costs minimisation function:

$$\text{Min} \sum_{i \in U} \sum_{j \in V} e_{-t_{ij}} e_{-f_{ij}} + \sum_i y_i, \quad (4.6)$$

subject to the same constraints as eq. (4.1), and where $e_{-t_{ij}}$ are the environmental impacts (usually measured in CO_2 emissions emitted) from transport between farm j and the facility i , and $e_{-f_{ij}}$ are the environmental impacts associated with setting up and operating facility i . Similar to the operational costs function, the objective is to find the best number and location of facilities that minimise the total environmental impact of transportation and facilities. The complexity of the problem arises due to the nature of multi-objective MIPs, where the solution is expressed as a set of Pareto optima that represent the optimal trade-offs between the minimisation objectives. Since no single solution can be found, the challenge is to identify the

preferable Pareto solution from the set based on given criteria and analysis of decision makers Limleamthong and Guillén-Gosálbez (2018). Usually, the Pareto frontier is shaped such that a solution with relatively low environmental impact can be chosen before the curve steepens towards relatively high economic costs. At that point, the gains from taking more environmentally friendly solutions are small compared to the very high economic costs Harris et al. (2009).

Biogas production, especially with second-generation feedstock such as PAL, has environmental benefits in terms of global warming potential and resource consumption compared to energy supply from fossil fuels. Furthermore, the environmental impacts of the construction and demolition of a biogas plant are relatively small, especially if a high utilisation ratio (long service life) of the plant is achieved Hijazi et al. (2016). Thus, since the emissions from transportation can become significantly large, we expect the inclusion of environmental costs in the analysis to produce scenarios with a greater number of less-capacitated facilities. It is recommended to explore and implement a multi-objective FLP that accounts for both operational and environmental costs if a truly sustainable solution is to be obtained.

4.7 Conclusion

The third set of research questions laid out in section 1.2 has been answered throughout this chapter. The suitable locations and optimal spatial distribution of PAL processing plants were identified by means of the FLP making some simplifying assumptions about a potential real-case scenario. Deciding whether the processing of PAL should be centralised or decentralised depends on the type of valorisation process that is implemented. In the case of biogas production, a decentralised solution is more suitable for the case of Costa Rica considering the spatial distribution of pineapple fields in the country and the biomass processing capacity of biogas plants. The average scenario implies the construction of 30 biogas plants with a total annual cost of \$30.1 MM. Moreover, the results inform how the implementation of a biogas production scenario can provide operational cost savings to the pineapple industry in Costa Rica.

Taking into account the uncertainty surrounding possible PAL valorisation solutions in Costa Rica, this study provides an optimistic initial step toward the implementation of a large-scale valorisation process. Should different types of valorisation technique be considered, either as an alternative or an addition, this model provides the tools to analyse the most cost-effective operational solution. Since there are several value-added goods that can be produced with PAL, as described in chapter 2, we contemplate the addition of other processes to the biogas production chain, e.g., fibre extraction from the leaves prior to anaerobic digestion. This cascading solution would take advantage of the supply chain to integrate processes and generate

greater value. From the FLP design point of view, this might require modelling a multi-echelon problem which would account for the distribution of PAL-based products to demand points.

The analysis produced here is limited by the available data and, thus, stringent assumptions and simplifications were made. As more data on the potential costs, capacity, and production of PAL-fed biogas plants are known, more accurate results from the model will be obtained. Furthermore, the potential locations of the facility used in the analysis were randomly selected from the network nodes. This ensures connectivity in the network, but does not consider regulation related to zoning or land availability. A true solution will be close to the one provided in the study, but these considerations must be taken into account. Finally, we recognise the importance of accounting for environmental impacts when finding FLP solutions, as these might change the number and spatial arrangement of facilities considerably. Estimating such impacts can also shed light on the environmental costs of valorising PAL compared to managing it in the field with agrochemicals and burning. Since PAL is a second-generation feedstock and does not compete with other crops or land use, we expect the costs to be relatively low.

CONCLUSIONS AND REFLECTION

5.1 Conclusions

In chapter 2, we have described the state-of-the-art technology for extracting and valorising pineapple leaves (PAL) and the potential demand for PAL-based in Costa Rica. The challenges to extract PAL from the fields at a large scale have not been overcome yet, and ventures to extract it with a combination of machinery and manual labour, although apparently cost-effective, are scarce. Several valorisation options have been considered and studied in Costa Rica, but to this day the only active PAL-based business in the country is that of silage. Each valorisation option has its particularities in terms of production processes, potential demand, and applicable legislation, and each should be considered when planning a PAL-based business model. Taking into account the properties of the PAL, a solution to fully valorise it will likely consist of a combination of valorisation options.

Using a fuzzy cognitive map, in chapter 3 we analysed the stakeholders' perception of PAL valorisation, the barriers preventing its implementation, and what is needed to overcome them. Our study shows that, according to stakeholders, greater government involvement and industry transparency would improve collaboration, but not significantly reduce pollution caused by the industry. On the other hand, regulations from importing countries and green consumerism are necessary to change producer behaviour and reduce pollution. There are cultural and financial barriers to circular-oriented innovation in the pineapple industry, including unsustainable customs, lack of collaboration, and insufficient funding. Operational and technological barriers, such as difficult terrain and lack of machinery, also hinder progress. Finally, stakeholders see government agencies as potential drivers of change and agree on the need for transparency and knowledge sharing, but there is a contradiction in the willingness of companies to collaborate.

Some dispute the benefits of valorising PAL, such as reducing the use of agrochemicals and the propagation of the stable fly, and awareness must be raised to motivate potential investors.

Chapter 4 serves to answer the research questions on the suitable locations and optimal spatial distribution of PAL processing plants in Costa Rica. The study of the Facility Location Problem (FLP) shows that a decentralised solution is more suitable for biogas production considering the spatial distribution of pineapple fields in Costa Rica and the processing capacity of biogas plants. Although the model results are limited by available data, this can be used to analyse the most cost-effective operational solution for different types of valorisation techniques. In this sense, the FLP can help reduce uncertainty about costs and help stakeholders visualise possible solutions. Finally, the importance of accounting for environmental impacts is also recognised, and further research is recommended in this respect.

Although there is technology available to valorise PAL valorisation, improvement is still needed to implement a large-scale solution for the Costa Rican pineapple industry. Much trial and error are still required to find an effective solution for PAL valorisation that can be readily implemented without extensive customization. Moreover, several cultural and operational barriers still need to be overcome should any PAL valorisation process be effective in its implementation.

Taking into account the conclusions of the study, our first recommendation for stakeholders and future researchers is to focus on how to improve collaboration and communication so that solutions can be found faster and more efficiently, and funding can be attracted more easily. Second, further studies to expand the logistical analysis of the valorisation process can be beneficial for implementing cost-competitive solutions.

We also emphasise the importance of collecting and sharing data in the early stages of any valorisation process. These data can then be used to conduct comparative studies, such as multiple-criteria decision analysis or life-cycle assessment, which can help determine the economic feasibility of different valorisation options. By collecting, sharing, and analysing data, stakeholders, accompanied by researchers, can make informed decisions and improve the valorisation process. In this sense, we highlight the importance of open data and, more broadly, open science to facilitate innovation by promoting collaboration, access to data, and transparency. By leveraging the collective knowledge and expertise of researchers and innovators related to the pineapple industry in Costa Rica, we can tackle the complex challenges of PAL valorisation.

5.2 Reflection

A comment on qualitative analysis in economics

Economists have traditionally used mathematical and statistical models to understand and

explain phenomena and have neglected qualitative research which is perceived as less rigorous or less scientific. It is usually considered that qualitative methods are more subjective and rely more heavily on interpretation than quantitative methods. Quantitative studies are less likely to be criticized because people believe that randomly sampled data is representative of a population. This assumption is not always true, and there are limitations to generalizing beyond the population from which the sample was taken. Qualitative scholars do not usually draw random samples and are often interested in unique cases (Rubin, 2021). There are many situations in which qualitative methods can be useful for economists, and the present study is a good example of it. Gathering information on the experiences and perspectives of individuals and social systems was imperative to conduct this study and identify new research questions. Exploring the complex social phenomena that affect the valorisation of PAL in Costa Rica could not have been easily captured by quantitative data, and talking to real people was useful in discerning causality. Qualitative research can challenge economic assumptions, and it requires creativity, but it can provide flexibility when needed. In this sense, these comments are an open invitation for economists to reflect on the value of qualitative data collection and analysis. Usually, a mixed-methods approach like the Fuzzy Cognitive Map is desirable for gaining a more complete understanding of economic phenomena.

A comment on the political economy concerning the pineapple industry

It is important to recognise that the environmental problems generated by the pineapple stubble in Costa Rica would not be present if pineapples were not cultivated as a monoculture under a *pineapple republic* scheme. Costa Rica, like other periphery countries, was historically focused on agriculture, driven by the demand of core nations. The cultivation methods employed to meet the ever-increasing demand for tropical produce cause displacement of populations, human rights violations, deforestation, and environmental problems. Apart from the difficulties to develop economically under commodity dependence, developing countries now face the challenge of mitigating climate change with fewer resources than their developed counterparts. The structure of the global economy that created international economic inequality now also creates environmental and climate inequality. In the case of the pineapple industry in Costa Rica, the problems created by the global system affect only locals. The development of PAL valorisation as a solution to solve the environmental problems currently present is in progress, and the efforts taken by Costa Rica and its people are worth praising.

BIBLIOGRAPHY

- Abdel-Basset, M., Abdel-Fatah, L., and Sangaiah, A. K. (2018). Metaheuristic algorithms: A comprehensive review. *Computational intelligence for multimedia big data on the cloud with engineering applications*, pages 185–231.
- Adeleke, O. J. and Olukanni, D. O. (2020). Facility location problems: models, techniques, and applications in waste management. *Recycling*, 5(2):10.
- Aili Hamzah, A. F., Hamzah, M. H., Che Man, H., Jamali, N. S., Siajam, S. I., and Ismail, M. H. (2021). Recent updates on the conversion of pineapple waste (ananas comosus) to value-added products, future perspectives and challenges. *Agronomy*, 11(11):2221.
- Alipour, M., Hafezi, R., Papageorgiou, E., Hafezi, M., and Alipour, M. (2019). Characteristics and scenarios of solar energy development in iran: Fuzzy cognitive map-based approach. *Renewable and Sustainable Energy Reviews*, 116:109410.
- Alpizar, F. and Salas, A. (2016). Análisis tsa: El plan de acción de piña.
- Amini, M., Hatwagner, M. F., and Koczy, L. T. (2022). A combined approach of fuzzy cognitive maps and fuzzy rule-based inference supporting freeway traffic control strategies. *Mathematics*, 10(21):4139.
- Anezakis, V.-D., Dermetzis, K., Iliadis, L., and Spartalis, S. (2016). Fuzzy cognitive maps for long-term prognosis of the evolution of atmospheric pollution, based on climate change scenarios: the case of athens. In *International Conference on Computational Collective Intelligence*, pages 175–186. Springer.
- Antikainen, M. and Valkokari, K. (2016). A framework for sustainable circular business model innovation. *Technology Innovation Management Review*, 6(7).
- Araya Chavarría, K. (2023). Nanofibrilación de celulosa extraída a partir del rastrojo de la piña (ananas comosus).
- Arce, A., Hernández, C., and Amador, R. (2014). Determinación de la cantidad y composición de biogás a partir de rastrojo de la piña (ananas comosus) por medio de un sistema continuo a escala laboratorio. *San José, Costa Rica: ICE Programa Biogas*.

- Asim, M., Abdan, K., Jawaid, M., Nasir, M., Dashtizadeh, Z., Ishak, M., and Hoque, M. E. (2015). A review on pineapple leaves fibre and its composites. *International Journal of Polymer Science*, 2015.
- assembly of Costa Rica, L. (2019). Ley número 9786 - ley para combatir la contaminación por plástico y proteger el ambiente.
- Assunção, E., Ferreira, F. A., Meidutė-Kavaliauskienė, I., Zopounidis, C., Pereira, L., and Correia, R. (2020). Rethinking urban sustainability using fuzzy cognitive mapping and system dynamics. *International Journal of Sustainable Development & World Ecology*, 27(3):261–275.
- Athira, G., Bahurudeen, A., Sahu, P. K., Santhanam, M., Nanthagopalan, P., and Lalu, S. (2020). Effective utilization of sugar industry waste in indian construction sector: A geospatial approach. *Journal of Material Cycles and Waste Management*, 22:724–736.
- Barbrook-Johnson, P. and Penn, A. S. (2022). Systems mapping: How to build and use causal models of systems.
- Barz, M., Delivand, M. K., and Dinkler, K. (2019). Agricultural wastes-a promising source for biogas production in developing countries of the tropical and subtropical regions. *Revista Forestal Mesoamericana Kurú*, 16(38):2–12.
- Bixby, R. (2015).
- Blomsma, F., Tennant, M., and Ozaki, R. (2022). Making sense of circular economy: Understanding the progression from idea to action. *Business Strategy and the Environment*.
- Boeing, G. (2017). Osmnx: New methods for acquiring, constructing, analyzing, and visualizing complex street networks. *Computers, Environment and Urban Systems*, 65:126–139.
- Bojic, S., Martinov, M., Brcanov, D., Djatkov, D., and Georgijevic, M. (2018). Location problem of lignocellulosic bioethanol plant-case study of serbia. *Journal of cleaner production*, 172:971–979.
- Brown, P., Bocken, N., and Balkenende, R. (2019). Why do companies pursue collaborative circular oriented innovation? *Sustainability*, 11(3):635.
- Buliah, N., Jamek, S., Ajit, A., and Abu, R. (2019). Production of dairy cow pellets from pineapple leaf waste. In *AIP Conference Proceedings*, volume 2124, page 020048. AIP Publishing LLC.
- Caballero, R., González, M., Guerrero, F. M., Molina, J., and Paralera, C. (2007). Solving a multi-objective location routing problem with a metaheuristic based on tabu search. application to a real case in andalusia. *European Journal of Operational Research*, 177(3):1751–1763.
- Carus, M. and Dammer, L. (2018). The circular bioeconomy—concepts, opportunities, and limitations. *Industrial biotechnology*, 14(2):83–91.
- Central America Data (2023). ¿cuánto cuesta transportar carga en centroamérica?
- Centre, S. G. T. (2012). Basic data on biogas.
- Cesarino, I., Carnietto, M., Bronzato, G., and Leao, A. (2020). Fabrication of pineapple leaf fibers reinforced composites. In *Pineapple Leaf Fibers*, pages 265–277. Springer.
- Chen, A., Guan, Y. J., Bustamante, M., Uribe, L., Uribe-Lorío, L., Roos, M. M., and Liu, Y. (2020). Production of renewable fuel and value-added bioproducts using pineapple leaves in costa rica. *Biomass and Bioenergy*, 141:105675.

- Chkanikova, O. and Mont, O. (2015). Corporate supply chain responsibility: drivers and barriers for sustainable food retailing. *Corporate Social Responsibility and Environmental Management*, 22(2):65–82.
- Collins, J. L. (1949). History, taxonomy and culture of the pineapple. *Economic Botany*, 3(4):335–359.
- COMEX, M. d. C. E. (2023). Costa rica estudiará incidencia de costos de transporte.
- Cooper, L. (1963). Location-allocation problems. *Operations research*, 11(3):331–343.
- Dangelico, R. M. and Pujari, D. (2010). Mainstreaming green product innovation: Why and how companies integrate environmental sustainability. *Journal of business ethics*, 95:471–486.
- Delivand, M. K., Cammerino, A. R. B., Garofalo, P., and Monteleone, M. (2015). Optimal locations of bioenergy facilities, biomass spatial availability, logistics costs and ghg (greenhouse gas) emissions: a case study on electricity productions in south italy. *Journal of Cleaner Production*, 99:129–139.
- Devisscher, T., Boyd, E., and Malhi, Y. (2016). Anticipating future risk in social-ecological systems using fuzzy cognitive mapping: the case of wildfire in the chiquitania, bolivia. *Ecology and Society*, 21(4).
- Diniz, F. H., Kok, K., Hoogstra-Klein, M. A., and Arts, B. (2015). Mapping future changes in livelihood security and environmental sustainability based on perceptions of small farmers in the brazilian amazon. *Ecology and Society*, 20(2).
- Duarte, A. E., Sarache, W. A., and Costa, Y. J. (2014). A facility-location model for biofuel plants: Applications in the colombian context. *Energy*, 72:476–483.
- Edwards, G. I. and Kok, K. (2021). Building a fuzzy cognitive map from stakeholder knowledge: An episodic, asynchronous approach. *Current Research in Environmental Sustainability*, 3:100053.
- Eixenberger, D., Carballo-Arce, A.-F., Vega-Baudrit, J.-R., Trimino-Vazquez, H., Villegas-Peñaranda, L. R., Stöbener, A., Aguilar, F., Mora-Villalobos, J.-A., Sandoval-Barrantes, M., Bubenheim, P., et al. (2022). Tropical agroindustrial biowaste revalorization through integrative biorefineries—review part ii: pineapple, sugarcane and banana by-products in costa rica. *Biomass Conversion and Biorefinery*, pages 1–28.
- Elbersen, H. and Hengsdijk, H. (2019). Costa rica pineapple field residue valorisation. In *27th European Biomass Conference and Exhibition, EUBCE 2019*.
- Eriksson, M., Safeeq, M., Pathak, T., Egoh, B., and Bales, R. (2022). Using stakeholder-based fuzzy cognitive mapping to assess benefits of restoration in wildfire-vulnerable forests. *Restoration Ecology*, page e13766.
- Falcone, P. M. and De Rosa, S. P. (2020). Use of fuzzy cognitive maps to develop policy strategies for the optimization of municipal waste management: A case study of the land of fires (italy). *Land use policy*, 96:104680.
- FAO (2020). The International Year of Fruits and Vegetables 2021. *Background Paper*.
- FAOSTAT (2022). Crops and livestock products. Accessed: July 16, 2022.
- Farahani, R. Z. and Hekmatfar, M. (2009). *Facility location: concepts, models, algorithms and case studies*. Springer Science & Business Media.
- Fearon, D. (2006). Alfred weber: theory of the location of industries, 1909. *R Center for Spatially Integrated Social Science*.

- García Salas, A. (2013). Estimación del potencial de producción de biocombustibles en costa rica a partir de cultivos energéticos, agroenergéticos y aceites usados, al 2021.
- Giordano, R., Passarella, G., Uricchio, V., and Vurro, M. (2005). Fuzzy cognitive maps for issue identification in a water resources conflict resolution system. *Physics and Chemistry of the Earth, Parts A/B/C*, 30(6-7):463–469.
- Giurca, A. and Späth, P. (2017). A forest-based bioeconomy for germany? strengths, weaknesses and policy options for lignocellulosic biorefineries. *Journal of Cleaner Production*, 153:51–62.
- González Alfar, L. A. (2012). Manual técnico para el manejo de rastrojos en el cultivo de piña.
- Gottinger, A., Ladu, L., and Quitzow, R. (2020). Studying the transition towards a circular bioeconomy—a systematic literature review on transition studies and existing barriers. *Sustainability*, 12(21):8990.
- Gráfica, L. P. (2023). Instalan planta de biogás en oriente.
- Guerrero, A. B., Aguado, P. L., Sánchez, J., and Curt, M. D. (2016). Gis-based assessment of banana residual biomass potential for ethanol production and power generation: a case study. *Waste and biomass valorization*, 7:405–415.
- Hakimi, S. L. (1964). Optimum locations of switching centers and the absolute centers and medians of a graph. *Operations research*, 12(3):450–459.
- Harris, I., Mumford, C., and Naim, M. (2009). The multi-objective uncapacitated facility location problem for green logistics. In *2009 IEEE Congress on Evolutionary Computation*, pages 2732–2739. IEEE.
- Harris, I., Mumford, C. L., and Naim, M. M. (2014). A hybrid multi-objective approach to capacitated facility location with flexible store allocation for green logistics modeling. *Transportation Research Part E: Logistics and Transportation Review*, 66:1–22.
- Hassan, A., Othman, Z., and Siriphanich, J. (2011). Pineapple (ananas comosus l. merr.). In *Postharvest biology and technology of tropical and subtropical fruits*, pages 194–218e. Elsevier.
- Hernández-Chaverri, R. A. and Barragán, L. A. P. (2018). Impacto y oportunidades de biorrefinería de los desechos agrícolas del cultivo de piña (ananas comosus) en costa rica. *Cuadernos de investigación UNED*, 10(2):455–468.
- Hernández-Chaverri, R., Mata-Segreda, J., Prado, L. A., and Buenrostro Figueroa, J. (2022). Physical-chemical characterization of pineapple stubble as possible raw material for bioenergetics.
- Hijazi, O., Munro, S., Zerhusen, B., and Effenberger, M. (2016). Review of life cycle assessment for biogas production in europe. *Renewable and Sustainable Energy Reviews*, 54:1291–1300.
- Hu, C., Liu, X., and Lu, J. (2017). A bi-objective two-stage robust location model for waste-to-energy facilities under uncertainty. *Decision Support Systems*, 99:37–50.
- ICE, I. C. d. E. (2015). Costa rica: Un modelo sostenible, único en el mundo matriz eléctrica.
- ICE, I. C. d. E. (2017). Uso sostenible de los rastrojos de piña para los procesos productivos del cultivo.
- ICE, I. C. d. E. (2022). Proyectos energéticos - programa biogas.
- ICE, I. C. d. E. (2023). Electricity prices from january 1 until march 31, 2023.
- IDESCA (2021). Reglamento de zonificación para la municipalidad de san carlos.

- IEA, I. E. A. (2018). Average costs of biogas production technologies per unit of energy produced (excluding feedstock).
- INEC (2014). CENAGRO. Resultados Generales. VI Censo Nacional Agropecuario. Accessed: December 29, 2022.
- Infante-Alfaro, A. (2017). Estudio del biocompuesto Ácido poliláctico-fibra de hoja de piña.
- Ingwersen, W. W. (2012). Life cycle assessment of fresh pineapple from costa rica. *Journal of Cleaner Production*, 35:152–163.
- INVU (2018). Manual de planes reguladores como instrumento de ordenamiento territorial.
- INVU (2023). Portal planes reguladores.
- IPCC (2022). Summary for Policymakers. In Shukla, P., Skea, J., Slade, R., Khourdajie, A. A., van Diemen, R., McCollum, D., Pathak, M., Some, S., Vyas, P., Fradera, R., Belkacemi, M., Hasija, A., Lisboa, G., Luz, S., and Malley, J., editors, *Climate Change 2022: Mitigation of Climate Change. Contribution of Working Group III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, UK and New York, NY, USA.
- Jahansoozi, J. (2006). Organization-stakeholder relationships: exploring trust and transparency. *Journal of management development*, 25(10):942–955.
- Jain, J. and Sinha, S. (2022). Pineapple leaf fiber polymer composites as a promising tool for sustainable, eco-friendly composite material. *Journal of Natural Fibers*, 19(15):10031–10052.
- Jeong, H., Sieverding, H. L., and Stone, J. J. (2019). Biodiesel supply chain optimization modeled with geographical information system (gis) and mixed-integer linear programming (milp) for the northern great plains region. *BioEnergy research*, 12:229–240.
- Jetter, A. and Schweinfurt, W. (2011). Building scenarios with fuzzy cognitive maps: An exploratory study of solar energy. *Futures*, 43(1):52–66.
- Jetter, A. J. and Kok, K. (2014). Fuzzy cognitive maps for futures studies—a methodological assessment of concepts and methods. *Futures*, 61:45–57.
- Jiguan, B. (2019). Invierten us \$4.7 millones en la instalación de una planta de biogás – diario de centro américa.
- Jose, S., Salim, R., and Ammayappan, L. (2016). An overview on production, properties, and value addition of pineapple leaf fibers (palf). *Journal of Natural Fibers*, 13(3):362–373.
- Kafetzis, A., McRoberts, N., and Mouratiadou, I. (2010). Using fuzzy cognitive maps to support the analysis of stakeholders’ views of water resource use and water quality policy. In *Fuzzy cognitive maps*, pages 383–402. Springer.
- Kalmykova, Y., Sadagopan, M., and Rosado, L. (2018). Circular economy—from review of theories and practices to development of implementation tools. *Resources, conservation and recycling*, 135:190–201.
- Kashmanian, R. M. (2017). Building greater transparency in supply chains to advance sustainability. *Environmental Quality Management*, 26(3):73–104.
- KiM, N. I. f. T. P. A. (2020). Cost figures for freight transport—final report.
- Kocoloski, M., Griffin, W. M., and Matthews, H. S. (2011). Impacts of facility size and location decisions on ethanol production cost. *Energy Policy*, 39(1):47–56.

- Kohlmann, B., Delivand, M., Dinkler, K., and Linkimer, M. (2015). Fruit waste valorization for energy and value added products in costa rica.
- Kok, K. (2009). The potential of fuzzy cognitive maps for semi-quantitative scenario development, with an example from brazil. *Global environmental change*, 19(1):122–133.
- Kokash, N. (2005). An introduction to heuristic algorithms. *Department of Informatics and Telecommunications*, pages 1–8.
- Kokkinos, K., Karayannis, V., and Moustakas, K. (2020). Circular bio-economy via energy transition supported by fuzzy cognitive map modeling towards sustainable low-carbon environment. *Science of the Total Environment*, 721:137754.
- Kokkinos, K., Lakioti, E., Papageorgiou, E., Moustakas, K., and Karayannis, V. (2018). Fuzzy cognitive map-based modeling of social acceptance to overcome uncertainties in establishing waste biorefinery facilities. *Frontiers in Energy Research*, 6:112.
- Konti, A. and Damigos, D. (2018). Exploring strengths and weaknesses of bioethanol production from bio-waste in greece using fuzzy cognitive maps. *Energy Policy*, 112:4–11.
- Konti, A., Mamma, D., Scarlat, N., and Damigos, D. (2022). The determinants of the growth of the european bioplastics sector—a fuzzy cognitive maps approach. *Sustainability*, 14(10):6035.
- Kontogianni, A. D., Papageorgiou, E. I., and Tourkolias, C. (2012). How do you perceive environmental change? fuzzy cognitive mapping informing stakeholder analysis for environmental policy making and non-market valuation. *Applied Soft Computing*, 12(12):3725–3735.
- Kosko, B. (1986). Fuzzy cognitive maps. *International journal of man-machine studies*, 24(1):65–75.
- Kyriakarakos, G., Patlitzianas, K., Damasiotis, M., and Papastefanakis, D. (2014). A fuzzy cognitive maps decision support system for renewables local planning. *Renewable and Sustainable Energy Reviews*, 39:209–222.
- Limleamthong, P. and Guillén-Gosálbez, G. (2018). Combined use of bilevel programming and multi-objective optimization for rigorous analysis of pareto fronts in sustainability studies: Application to the redesign of the uk electricity mix. In *Computer Aided Chemical Engineering*, volume 43, pages 1099–1104. Elsevier.
- Linnenberg, C., Hernández Chanto, C., Amador, R., and Viquez Camacho, M. (2012). Estudio de factibilidad biodigestor anaerobico tipo industrial.
- Liu, C., Liu, Y., Fan, C., and Kuang, S. (2013). The effects of composted pineapple residue return on soil properties and the growth and yield of pineapple. *Journal of soil science and plant nutrition*, 13(2):433–444.
- López Herrera, M., WingChing Jones, R., and Rojas Bourrillón, A. (2009). Características fermentativas y nutricionales del ensilaje de rastrojo de piña (ananas comosus). *Agronomía Costarricense Vol. 33 Núm. 1 2008*.
- Lopolito, A., Falcone, P. M., Morone, P., and Sica, E. (2020). A combined method to model policy interventions for local communities based on people knowledge. *MethodsX*, 7:100877.
- MAG, M. d. A. y. G. d. C. R. (2023). Ananas comosus l., bromeliacea.
- Magdoff, F., Foster, J. B., and Buttel, F. H. (2000). *Hungry for profit: The agribusiness threat to farmers, food, and the environment*. NYU Press.

- Markard, J. and Truffer, B. (2008). Technological innovation systems and the multi-level perspective: Towards an integrated framework. *Research policy*, 37(4):596–615.
- MINAE, M. d. A. y. E. (2015). Plan nacional de energía 2015-2030.
- Mkhitaryan, S., Giabbanelli, P., Wozniak, M. K., Nápoles, G., De Vries, N., and Crutzen, R. (2022). Fcmapy: a python module for constructing and analyzing fuzzy cognitive maps. *PeerJ Computer Science*, 8:e1078.
- Monni, M. (2019). Costa rica: energia e fertilizzanti dai residue dell’ananas.
- Montiel, I., Christmann, P., and Zink, T. (2019). The effect of sustainability standard uncertainty on certification decisions of firms in emerging economies. *Journal of Business Ethics*, 154:667–681.
- Morone, P., Falcone, P. M., and Lopolito, A. (2019). How to promote a new and sustainable food consumption model: A fuzzy cognitive map study. *Journal of cleaner production*, 208:563–574.
- Morone, P., Yilan, G., and Imbert, E. (2021). Using fuzzy cognitive maps to identify better policy strategies to valorize organic waste flows: An italian case study. *Journal of Cleaner Production*, 319:128722.
- Mund, N. K., Dash, D., Mishra, P., and Nayak, N. R. (2021). Cellulose solvent-based pretreatment and enzymatic hydrolysis of pineapple leaf waste biomass for efficient release of glucose towards biofuel production. *Biomass Conversion and Biorefinery*, pages 1–10.
- Murcia, J., Barrera, R., Ardila, A., and Zondervan, E. (2022). The biorefinery concept for the industrial valorization of pineapple leaves co-producing ethanol, citric acid, and xanthan gum: a techno-economic analysis. In *Computer Aided Chemical Engineering*, volume 49, pages 1111–1116. Elsevier.
- Nasirzadeh, F., Ghayoumian, M., Khanzadi, M., and Rostamnezhad Cherati, M. (2020). Modelling the social dimension of sustainable development using fuzzy cognitive maps. *International journal of construction management*, 20(3):223–236.
- Netz, B., Davidson, O. R., Bosch, P. R., Dave, R., Meyer, L. A., et al. (2007). Climate change 2007: Mitigation. contribution of working group iii to the fourth assessment report of the intergovernmental panel on climate change. summary for policymakers. *Climate change 2007: Mitigation. Contribution of Working Group III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Summary for Policymakers*.
- Nordin, I., Elofsson, K., and Jansson, T. (2022). Optimal localisation of agricultural biofuel production facilities and feedstock: a swedish case study. *European Review of Agricultural Economics*, 49(4):910–941.
- Obileke, K., Makaka, G., Nwokolo, N., Meyer, E. L., and Mukumba, P. (2022). Economic analysis of biogas production via biogas digester made from composite material. *ChemEngineering*, 6(5):67.
- O’Connor, K. (2013). *Pineapple: A global history*. Reaktion Books.
- OECD (2017). *OECD Food and Agricultural Reviews Agricultural Policies in Costa Rica*. OECD Publishing.
- Olazabal, M. and Pascual, U. (2016). Use of fuzzy cognitive maps to study urban resilience and transformation. *Environmental Innovation and Societal Transitions*, 18:18–40.

- Özesmi, U. and Özesmi, S. (2003). A participatory approach to ecosystem conservation: fuzzy cognitive maps and stakeholder group analysis in uluabat lake, turkey. *Environmental management*, 31(4):0518–0531.
- Özesmi, U. and Özesmi, S. L. (2004). Ecological models based on people’s knowledge: a multi-step fuzzy cognitive mapping approach. *Ecological modelling*, 176(1-2):43–64.
- Papageorgiou, E., Stylios, C., and Groumpos, P. (2003). Fuzzy cognitive map learning based on nonlinear hebbian rule. In *AI 2003: Advances in Artificial Intelligence: 16th Australian Conference on AI, Perth, Australia, December 3-5, 2003. Proceedings 16*, pages 256–268. Springer Berlin Heidelberg.
- Papageorgiou, E. I. (2011). A new methodology for decisions in medical informatics using fuzzy cognitive maps based on fuzzy rule-extraction techniques. *Applied Soft Computing*, 11(1):500–513.
- Piñas, J. A. V., Venturini, O. J., Lora, E. E. S., del Olmo, O. A., and Roalcaba, O. D. C. (2019). An economic holistic feasibility assessment of centralized and decentralized biogas plants with mono-digestion and co-digestion systems. *Renewable Energy*, 139:40–51.
- Pittayarugsarit, J. and Song, Y. (2019). A comparison of using euclidean and road distance to solve facility location problems. In *IOP Conference Series: Materials Science and Engineering*, volume 639, page 012010. IOP Publishing.
- Quesada Solís, K. V. (2003). Utilización del rastrojo de piña (ananas comusus) como refuerzo de una resina poliéster comercial.
- Rafiqah, A., Abdan, K., Nasir, M., and Asim, M. (2020). Effect of extraction on the mechanical, physical and biological properties of pineapple leaf fibres. *Pineapple Leaf Fibers: Processing, Properties and Applications*, pages 41–54.
- Reckien, D. (2014). Weather extremes and street life in india—implications of fuzzy cognitive mapping as a new tool for semi-quantitative impact assessment and ranking of adaptation measures. *Global Environmental Change*, 26:1–13.
- RECOPE, R. C. d. P. (2023). Precios históricos - recope.
- Ricciardi, V., Mehrabi, Z., Wittman, H., James, D., and Ramankutty, N. (2021). Higher yields and more biodiversity on smaller farms. *Nature Sustainability*, 4(7):651–657.
- Rodríguez Echavarría, T. and Prunier, D. (2020a). Agricultural extractivism, border and migrant workforce: The expansion of pineapple monoculture in costa rica. *Frontera norte*, 32.
- Rodríguez Echavarría, T. and Prunier, D. (2020b). Extractivismo agrícola, frontera y fuerza de trabajo migrante: La expansión del monocultivo de piña en costa rica. *Frontera norte*, 32.
- Rubin, A. T. (2021). *Rocking qualitative social science: An irreverent guide to rigorous research*. Stanford University Press.
- Saini, R., Chen, C.-W., Patel, A. K., Saini, J. K., Dong, C.-D., and Singhania, R. R. (2022). Valorization of pineapple leaves waste for the production of bioethanol. *Bioengineering*, 9(10):557.
- Sajjad, A., Eweje, G., and Tappin, D. (2015). Sustainable supply chain management: motivators and barriers. *Business Strategy and the Environment*, 24(7):643–655.
- Salaheen, S. and Biswas, D. (2019). Organic farming practices: Integrated culture versus monoculture. In *Safety and practice for organic food*, pages 23–32. Elsevier.

- Salas Murillo, O. (2020). Estudiantes proponen aprovechar desechos de la piña para crear cuerda de uso agrícola.
- Salberg, V. M., Booth, A. M., Jahren, S., and Novo, P. (2022). Assessing fuzzy cognitive mapping as a participatory and interdisciplinary approach to explore marine microfiber pollution. *Marine Pollution Bulletin*, 179:113713.
- Salerno, M., Gallucci, F., Pari, L., Zambon, I., Sarri, D., Colantoni, A., et al. (2017). Costs-benefits analysis of a small-scale biogas plant and electric energy production. *Bulgarian Journal of Agricultural Science*, 23(3):357–362.
- Seppänen, J. and Moore, J. M. (1970). Facilities planning with graph theory. *Management Science*, 17(4):B–242.
- Sibaly, S. and Jeetah, P. (2017). Production of paper from pineapple leaves. *Journal of Environmental Chemical Engineering*, 5(6):5978–5986.
- Silva, C. N. d., Bronzato, G. R. F., Cesarino, I., and Leão, A. L. (2020). Second-generation ethanol from pineapple leaf fibers. *Journal of natural fibers*, 17(1):113–121.
- SINAC, Sistema Nacional de Áreas de Conservación (2020). Directriz número sinac-de-944-2020.
- Singh, P. K. and Nair, A. (2014). Livelihood vulnerability assessment to climate variability and change using fuzzy cognitive mapping approach. *Climatic Change*, 127(3):475–491.
- SNIT (2019). Cultivo de piña en Costa Rica.
- Sridharan, R. (1995). The capacitated plant location problem. *European Journal of Operational Research*, 87(2):203–213.
- Suhartini, S., Lestari, Y., and Nurika, I. (2019). Estimation of methane and electricity potential from canteen food waste. In *IOP conference series: earth and environmental science*, page 012075. IOP Publishing.
- Sujamol, S., Ashok, S., and Krishnakumar, U. (2018). Study of fuzzy cognitive maps for modeling clinical support systems. *International Journal of Pure and Applied Mathematics*, 119(12):15433–45.
- Tan, E. C. and Lamers, P. (2021). Circular bioeconomy concepts—a perspective. *Frontiers in Sustainability*, 2:701509.
- Uddin, W., Khan, B., Shaukat, N., Majid, M., Mujtaba, G., Mehmood, A., Ali, S., Younas, U., Anwar, M., and Almeshal, A. M. (2016). Biogas potential for electric power generation in pakistan: A survey. *Renewable and Sustainable Energy Reviews*, 54:25–33.
- UNDP (2022). Costa rica: Sustainable pineapple, united nations development programme. Accessed: July 19, 2022.
- Velasco-Muñoz, J. F., Mendoza, J. M. F., Aznar-Sánchez, J. A., and Gallego-Schmid, A. (2021). Circular economy implementation in the agricultural sector: Definition, strategies and indicators. *Resources, Conservation and Recycling*, 170:105618.
- Walla, C. and Schneeberger, W. (2008). The optimal size for biogas plants. *Biomass and bioenergy*, 32(6):551–557.
- Wang, C. (2015). *A study of membership functions on mamdani-type fuzzy inference system for industrial decision-making*. Lehigh University.

- Weiss, M. A. (1992). Skyscraper zoning: New york's pioneering role. *Journal of the American Planning Association*, 58(2):201–212.
- Wetterlund, E., Leduc, S., Dotzauer, E., and Kindermann, G. (2012). Optimal localisation of biofuel production on a european scale. *Energy*, 41(1):462–472.
- Wolf, G. W. (2022). Solving location-allocation problems with professional optimization software. *Transactions in GIS*.
- Wu, H., Tao, F., and Yang, B. (2020). Optimization of vehicle routing for waste collection and transportation. *International Journal of Environmental Research and Public Health*, 17(14):4963.
- Zhang, H., Sun, W., Sun, G., Liu, S., Li, Y., Wu, Q., and Wei, Y. (2016). Phenological growth stages of pineapple (*ananas comosus*) according to the extended biologische bundesantalt, bundessortenamt and chemische industrie scale. *Annals of Applied Biology*, 169(2):311–318.
- Zhao, X., Rebreyend, P., and Håkansson, J. (2015). *How does the complexity of a road network affect optimal facility locations?* Högskolan Dalarna.

A1 FCM results

A1.1 Experts and Stakeholders Interview Outline

- Name, organisation, purpose of the organisation.
- What do you understand by Circular Economy?
- What do you understand by valorisation of stubble?
- What is the current situation of the valorisation of stubble in Costa Rica?
- What factors influence the valorisation of Costa Rican pineapple stubble? Please indicate at least four. (*Sector structure*)
- What factors are influenced by the valorisation of Costa Rican pineapple stubble? (*Outcome*)
- Is there a relationship between the factors described? How would you describe those relationships? Positive, neutral, or negative?
- Identify three key drivers that can boost the valorisation of pineapple stubble and, consequently, the circularity of the Costa Rican pineapple sector. Think of the national, international scale, factors external to the production chain.
- Do you perceive any trends in the factors previously mentioned in the last 5 years?
- Who are the most important actors in the stubble valorisation process?

- Which valorisation options seem most feasible to you, and why? Think about the technological, economic, and commercial aspects of the valorisation.

A1.2 Concepts Description

Table A1.1: Concepts present in the FCM and their description

Concept	Description
Regulation of stubble management	Regulate how the stubble can be managed (what agrochemicals can be used, when is fire allowed, etc.).
Good image of the industry	How consumers, investors, the government, and the population in general perceive the industry.
Collaboration/Communication	Between pineapple companies, academia, government, social communities, and other industries.
Pollution (soil, air and water)	Refers to the presence of substances or particles in amounts that can be harmful to human health and ecosystems.
Cost of fossil fuel-based materials	Cost of materials used in the industry that come directly or indirectly from fossil fuels (plastics, agrochemicals, and other materials).
Customs of the industry	Practices that have been present for many years and inherited by new generations of pineapple producers.
Demand of PAL products	Demand for products derived, completely or partially, from PAL (e.g., biobased materials to replace plastics, bioenergy and biofuels, textiles).
Uneven terrain	In the pineapple plantations. In a broader sense, it refers to the inaccessibility of the terrain.

Continued on next page

Table A1.1 – continued from previous page

Concept	Description
Land availability	Availability of the land to plant. As long as there is stubble in the field, the land is not available.
Employment	Number of people employed in the PA industry or in a PAL-related industry.
Extraction from the field	Extracting the PAL from the field.
Funding	Public or private funding, either national or international.
International instability	Lack of stability or predictability in the international system. It can be political instability, economic uncertainty, or military conflicts.
Innovation	Innovation related to the valorisation of PAL. Creation of new ideas, products, or methods.
Research	Carried out by universities and other scientific centres.
Rain	Precipitation in the terrain and the road network inside and outside the field.
Stable fly	Number of stable flies.
Government presence	How involved are local and national governments in the pineapple sector and in PAL-valorisation development.
Green consumers	Consumers who demand products that have undergone an eco-friendly production process and that safeguards the planets' resources.
Pineapple production productivity	Amount or weight of fruit produced per unit of land, labour, or other resources used.
Labour productivity	The efficiency with which labour is used in the production of goods. Total value of production / Total number of hours worked.
Import regulations and standards	That other countries impose to exporters from CR.
Profitability of pineapple companies	Company's ability to generate profit.

Continued on next page

Table A1.1 – continued from previous page

Concept	Description
Business risk	All events that may affect or cause losses to a company within the framework of its economic activity.
Community's health/wellbeing	Health and social and environmental wellbeing of the communities directly or indirectly affected by PA production.
Industry sustainability	Practice of using natural resources in a way that preserves them for future generations.
Company size	Refers to the amount of resources that the company has: hectares, workers, machinery.
Industry's transparency/openness	In relation to operations, cultivation methods, use of supplies and stubble management.
Use of agrochemicals	Chemicals used in to enhance crop growth, protect against pests and diseases, and manage the stubble (fertilizers, herbicides, insecticides).
valorisation of PAL	Activities that convert PAL into new products or materials.
Soil fertility	Ability of the soil to support plant growth.
Ranchers' productivity	It can be measured in terms of the number of animals raised, the amount of meat or milk produced, the value of their sales, or the profits they generate.

A1.3 Entropy results

Table A1.2: Entropy values of FCM connections

From concept	To concept	Entropy
IndustryTransparency	collabComms	1.750000
academia	innovation	1.905639
agrochemicalsUse	pollution	1.405639
businessRisk	innovation	2.155639
collabComms	innovation	0.954434
communityHealth	industryImage	1.298795
companySize	funding	1.905639
	pineappleProdProfitability	1.905639
costFFmaterials	palProductsDemand	2.155639
	pineappleProdProfitability	1.905639
employment	communityHealth	1.405639
	funding	2.155639
	agrochemicalsUse	1.500000
fieldExtraction	innovation	2.155639
	palvalorisation	2.155639
	academia	1.405639
funding	innovation	1.811278
	collabComms	1.750000
govtPresence	stubbleMgmtRegulation	1.750000
	agrochemicalsUse	2.155639
greenConsumers	palProductsDemand	1.905639
importRegulations	agrochemicalsUse	1.561278
industryCustoms	palvalorisation	2.405639
industryImage	funding	2.155639
industrySustainability	palProductsDemand	1.905639
	fieldExtraction	1.298795
innovation	laborProductivity	1.905639
	palvalorisation	1.561278
intInstability	costFFmaterials	1.561278
laborProductivity	fieldExtraction	2.500000
landAvailable	pineappleProdProductivity	2.155639


Continued on next page

Table A1.2 – continued from previous page

From concept	To concept	Entropy
palProductsDemand	innovation	1.561278
	palvalorisation	1.500000
	agrochemicalsUse	2.155639
	fieldExtraction	1.405639
palvalorisation	industrySustainability	1.500000
	landAvailable	1.561278
	pineappleProdProfitability	2.000000
	soilFertil	1.561278
pineappleProdProductivity	stableFly	2.155639
	pineappleProdProfitability	1.405639
pineappleProdProfitability	industrySustainability	1.750000
pollution	communityHealth	1.061278
rain	fieldExtraction	2.155639
stableFly	communityHealth	1.405639
	ranchersProductivity	1.750000
	agrochemicalsUse	2.500000
	industrySustainability	1.905639
stubbleMgmtRegulation	innovation	1.500000
	palvalorisation	1.750000
	stableFly	1.750000
unevenTerrain	fieldExtraction	2.405639

A1.4 FCM matrix

Figure A1.1: FCM weight matrix



A2 Supplementary material

The scripts and data used for the Fuzzy Cognitive Mapping and the Facility Location Problem are publicly available in this [GitHub repository](#). For more information, read the README file in the repository.